AP Exhaust	1	iTekt	52
ArmorAII	2-3	JB Weld	53-54
Bayco	4	Kimberly-Clark	55-56
Bernzomatic	5	Kleen-flo	57
Bussmann	6-7	K-Seal	58
Car Freshener	8	Lisle	59
Cliplight	9-10	Loctite	60-62
Continental	11-12	Lucas	63-64
CPS	13-14	M2 Professional	65-66
CRC	15-18	Mobil1	68
Dayco	19-21	MotorVac	13-14
Detour	22	NLS	69-72
Dorman	23-24	Norton	73
Dupli-Color	25	Permatex	75-78
Energizer	26	Phillips & Temro	79-82
Еррсо	27	Pico	83-85
E-Z Red	27	Prestone	86
Fiamm	28	Bestbuy Pro (Professional Cleaning))87
Flo-Perm	28	PTC	88
FMSI	29-30	Ralston	89
Gorilla / Okeeffe's	31	RapidFix	90
GPI	32	Rislone	91-94
Grote	33-38	Rust Check	95
Groupe BBH	39-40	Schumacher	96-97
Hopkins	41-42	Seafoam	98
H Paulin	43	Sylvania	99-100
Irontite	44	Triple C Rubber & Plastics	101
Irving Blending & Packaging	45-48	UView	13-14
Irwin Tools	49-51	WD-40	102-105
		Worx Environmental Products	106



FLEX COUPLING

WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER 8810	P/N WITH INNER BRAID 8810IB	FLEX LENGTH 4"	OVERALL LENGTH 4"	INLET DIAMETER 1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52"
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02" #881
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"



WITH NIPPLE EXTENSION

P/N W/O	P/N WITH	FLEX	OVERALL	INLET
INNER LINER	INNER BRAID	LENGTH	LENGTH	DIAMETER
8835	8835IB	4"	8"	1.75"
8836	8836IB	6"	10"	1.75"
8837	8837IB	8"	12"	1.75"
8838	8838IB	10"	14"	1.75"
8839	8839IB	4"	8"	2.00"
8840	8840IB	6"	10"	2.00"
8841	8841IB	8"	12"	2.00"
8842	8842IB	10"	14"	2.00"
8843	8843IB	4"	8"	2.25"
8844	8844IB	6"	10"	2.25"
8845	8845IB	8"	12"	2.25"
8846	8846IB	10"	14"	2.25"
8847	8847IB	4"	8"	2.50"
8848	8848IB	6"	10"	2.50"
8849	8849IB	8"	12"	2.50"
8850	8850IB	10"	14"	2.50"
8851	8851IB	4"	8"	3.00"
8852	8852IB	6"	10"	3.00"
8853	8853IB	8"	12"	3.00"
8854	8854IB	10"	14"	3.00"

HANGERS

339816	В
339816S	
339818S	8
339819S	
339820S	#3398185
339830	#3330103

HANGER - UNIVERSAL WIRE

III (IIICEI)	CITIVE
339896	1
339897	
339898	
339899	J
	#339896

UNIVERSAL CONVERTERS

INLET/I.D.

602204 UNIVERSAL 2" W/O AIR TUBE UNIVERSAL 2 1/4" W/O AIR TUBE 602205 UNIVERSAL 2 1/2" W/O AIR TUBE 602206 602207 UNIVERSAL 3" W/O AIR TUBE

EPA OBDII BY DESIGN

	INLET/I	.D.
608204	2"	W/02 SENSOR PORT
608205	2 1/4"	W/02 SENSOR PORT
608206	2 1/2"	W/02 SENSOR PORT
608214	2"	W/02 SENSOR PORT
608215	2 1/4"	W/02 SENSOR PORT
608216	2 1/2"	W/02 SENSOR PORT

CLAMPS

H200 H212 H214 H234P H300 H312 H312P H314 H400 H400P H412 H412P H500 H500P H600 M112 M134 M158 M178 M200 M212 M214 M218	EXTRA HEAVY DUTY 2" EXTRA HEAVY DUTY 2 1/2" EXTRA HEAVY DUTY 2 1/4" HEAVY DUTY 2 3/4" EXTRA HEAVY DUTY 3" EXTRA HEAVY DUTY 3 1/2" HEAVY DUTY 3 1/2" EXTRA HEAVY DUTY 3 1/4" EXTRA HEAVY DUTY 4" EXTRA HEAVY DUTY 4" HEAVY DUTY 4" EXTRA HEAVY DUTY 5" HEAVY DUTY 5" EXTRA HEAVY DUTY 5" HEAVY DUTY 5" EXTRA HEAVY DUTY 6" DGM 1 1/2" U-BOLT DGM 1 3/4" U-BOLT DGM 2 1/8" U-BOLT DGM 2 1/8" U-BOLT DGM 2 1/8" U-BOLT
M200	DGM 2" U-BOLT
M212	
M214	
0	
M300	DGM 3" U-BOLT
U112	STANDARD 1 1/2"
U114	STANDARD 1 1/4"
	STANDARD 1 1/8"
	STANDARD 1 3/4"
U178	STANDARD 1 7/8"
U200	STANDARD 2"
U212	STANDARD 2 1/2"
U214	STANDARD 2 1/4"



SELECT+PLUS TECHSERIES

608704 608705 608706	Neck Size 2" 2 ^{1/4} " 2 ^{1/2} "	Body Dia. 4" Rd 4" Rd 4" Rd	Body 10" 10" 10"	Overall 14" 14" 14"
608714	2"	4" Rd	10"	14"
608715	2 ^{1/4} "	4" Rd	10"	14"
608716	2 ^{1/2} "	4" Rd	10"	14"
608734	2"	4" Rd	12"	16"
608735	2 ^{1/4} "	4" Rd	12"	16"
608736	2 ^{1/2} "	4" Rd	12"	16"
608744	2"	4" Rd	12"	16"
608745	2 ^{1/4} "	4" Rd	12"	16"
608746	2 ^{1/2} "	4" Rd	12"	16"



PROTECTANT



118 mL 300 mL #10125 #11300



473 mL #78021



Original Protectant 946 mL #78024



1.89 L #18000G

ELIMINATION

ODOUR



Matte Finish 473 mL #18209

KITS



Ultra Shine 473 mL #32062



FORMULA

CLEANS, SHINES & PROTECTS

FIGHTS FADING, AGING AND CRACKING

WASH



Snow Foam Car Wash 1.48L #19159



Car Wash 1.89 L #17485



Car Wash 715 mL #17740



Smoke X Air Freshener 99 g #19036



Complete Car Care Kit 5 Items #18378

TIRE & RIM



Tire & Rim Car Care Kit 3+2 Bonus Items #18196

CLEANERS

Multi-Purpose Cleaner 473 mL #11068



Bug Remover 473 mL #17259



Leather Care Gel 532 mL #10882



Premium Leather Care 473 mL #18981



Quicksilver Tire & Rim Cleaner 710 mL #17654



Extreme Rim Cleaner Tire Shine Gel Tire Shine 710 mL #40340



Extreme 530 mL #11504



Extreme 650 mL #78026

He Laissent aus go



WIPES



Original Protectant 30ct #10859



Protectant Wipes 20ct #18254



Glass Wipes 30ct #10850



Glass & **GPS** 20ct #18269



Degreaser Wipes 30ct #18286



25ct

#18253

Orange Cleaning **Wipes** 25ct #10925



Leather **Wipes** 30ct #8472



Cleaning

Wipes

20ct

#18255

Cleaning Wipes 30ct #10869



4 Pack Wipes 115ct #10881

GREAT VALUE



CLEAN. SHINE. PROTECT.



WWW.ARMORALL.CA | FACEBOOK.COM/ARMORALLCANADA

www.baycoproducts.com





USB Rechargeable 900 Lumen Flashlight USB-558XL



USB Rechargeable 320 Lumen Flashlight USB-320



1200 Lumen Underhood Work Light SLR-2120



100 Lumens Pen-Light MT-100



600 Lumen Rechargeable Multi-Purpose LED Work Light NSR-2168B



180 Lumen Mini-Tac Gooseneck MT-140B



1.200 Lumen LED Work Light w/Magnetic Hook on Retractable Reel SL-866



220 Lumen Dual-Light™ Multi-Function Headlamp NSP-4608B





3 Outlet, 50-Foot Cord Reel SL-8903



Rechargeable LED Scene Light Kit NSR-1514C







Light on 50-Foot Metal Reel SL-827



30-Foot Retractable Metal Cord Reel W/3 Outlets - 10AMP SL-800



26W Fluorescent Work Light w/Single Outlet SL-908



26W Fluorescent Work Light w/Single Outlet on 40-Foot Metal Reel SL-875



Polymer Duty/Personal-Size Dual-Light™ Rechargeable Flashlight w/Magnet NSR-9920XL

BERNZÖMATIC.



MULTI-USE TORCH HEAD TS3500T

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Ergonomic Grip Handle
- Pressure Regulated for Consistent Performance when Inverted
- Compatible with Bernzomatic 14.1 oz Propane Fuel Cylinder



HIGH HEAT TORCH HEAD TS4000T

- Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure Regulated for Consistent Performance when Inverted
- Durable, Cast Body Construction
- Compatible with 14.1 oz MAP-Pro and 14.1 and 16 oz Propane Fuel Cylinders



SELF-IGNITING BASIC TORCH HEAD WT2301

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Durable, Stainless Steel Burn Tube
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 and 16 oz Propane Fuel Cylinders



OUTDOOR BACKYARD TORCH JT850

- Adjustable, Wide Brush Flame
- Trigger-Start Ignition
- Slip-Resistant Handle with 36" Reach
- Compatible with 14.1 oz. or 16 oz. Propane Fuel; Sold Separately



BUTANE DETAIL TORCH

ST2200T

- Adjustable, Precision Flame
- Trigger-Start Ignition
- Pistol Grip
- Continuous Flame Lock
- Includes 3 Interchangeable Tips: Micro Torch, Soldering Tip and Hot Blower
- Refillable with Butane Fuel



MANUAL TORCH

UL2317

- Manual Ignition
- **Durable Brass Torch Head**
- Adjustable, Pencil Flame
- Best Used Upright
- Compatible with Propane Fuel, Sold Separately



MANUAL TORCH KIT

UL100

- Adjustable, Pencil Flame
- Manual Start
- **Durable Brass Torch Head**
- Best Used Upright
- Compatible with Bernzomatic Propane Fuel, Included



MAX HEAT TORCH TS8000

- Adjustable, Ultra-Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure Regulated for Consistent Performance when Inverted
- Durable, Cast Body Construction
- Compatible with Bernzomatic MAP-Pro® and Propane Fuel Cylinders, Sold Separately



Bussmann series battery terminal and multi-pole automotive fuses offer service technicians and DIYers a convenient, alternative source to new car dealerships and online websites.

Battery terminal fuses

Bussmann series battery terminal fuses The new Bussmann[™] series battery terminal fuses (BTF) are original equipment equivalents to those installed in popular Chrysler[®], Ford[®], Lexus, Lincoln, Mercury, Mitsubishi, Nissan[®], Scion, Subaru, Suzuki and Toyota[®] vehicles.



OEM cross reference data

Bussmann series catalog no.	Volts	Fuse circuit amp rating(s)	OEM part no.	Vehicle make
BTF-1P-80	32 Vdc	80	82211AG150	Subaru
B1F-1F-00	32 Vac	80	3673-950J00	Suzuki
BTF-1P-100	32 Vdc	100	MN164187	Mitsubishi
B1F-1F-100	32 Vac	100	3673-952J00	Suzuki
BTF-1P-120	32 Vdc	120	MN164188	Mitsubishi
	32 Vuc	120	3673-966J00	Suzuki
DTF 1D 140	32 Vdc	140	82620-33040	Lexus, Scion, Toyota
BTF-1P-140	32 Vac	140	24380-JA70A	Nissan
BTF-2P-180120	32 Vdc	180, 120	68164797-AA	Chrysler
PTF 2D 200100	32 Vdc	200 100	BR3Z-14526-AA	Ford
BTF-2P-200100		200, 100	AE5Z-14526-BA	Ford, Lincoln, Mercury
BTF-2P-250125	32 Vdc	250, 125	AL3Z-14526-AA	Ford
BTF-3P-1206080	32 Vdc	120, 60, 80	82620-52080A	Scion, Toyota
BTF-3P-1208080	32 Vdc	120, 80, 80	82620-52060A	Scion, Toyota

Multi-pole automotive fuses

The Bussmann™ series multi-pole fuses (MPF) are original equipment equivalents to those installed in popular Nissan®, Infiniti®, Toyota® and Lexus vehicles.





OEM cross reference data

Bussmann series catalog no.	Fuse circuit amp ratings	Color code	OEM part no.	Vehicle make
32 Vdc fuses				
MPF-433X	40, 30, 30	Pink	24370-C9902	Nissan, Infiniti
MPF-444X	40, 40, 40	Green	24370-C9900	Nissan, Infiniti
MPF-533X	50, 30, 30	Red	24370-C9906	Nissan, Infiniti
MPF-534X	50, 30, 40	Blue	24370-C9907	Nissan, Infiniti
MPF-633X	60, 30, 30	Yellow	24370-C9904	Nissan
58 Vdc fuses				
MPF2-324X	30, 20, 40	Yellow	24370-C991C	Nissan
MPF2-433X	40, 30, 30	Pink	24370-C991A	Nissan
WFF2-433X			90982-08308	Toyota, Lexus
MPF2-444X	40, 40, 40	Cuan	24370-C991B	Nissan, Infiniti
WFF2-444A	40, 40, 40	Green	90982-08299	Toyota, Lexus
MADEO FOOY	50.00.00	Б. 1	24370-C992A	Nissan, Infiniti
MPF2-533X	50, 30, 30	Red	90982-08300	Toyota, Lexus
MADEO FOAY	50.00.40	D.I.	24370-C992B	Nissan, Infiniti
MPF2-534X	50, 30, 40	Blue	90982-08301	Toyota, Lexus
MDE2 F2FV	EO 20 EO	Dlook	24370-C992C	Nissan, Infiniti
MPF2-535X	50, 30, 50	Black	90982-08302	Toyota, Lexus
MPF2-555X	50, 50, 50	Maroon	90982-08303	Lexus

Bussmann

Bussmann Fuse Caddies and Trays

Save Time. Save Space.



Fuse Caddy Features and Benefits

- Comprehensive mix of fuses ensure that you have the right fuses on hand
- Clear trays allow you to quickly see the type of fuse you need
- Compact design makes is easy to store
- Security latch and convenient handle keep fuses secure and portable
- Tray labels provide quick identification of the tray's contents

#FUSE-CADDY1

With convenient folding handle and security latch, this five-tray capacity caddy contains 275 fuses in popular ratings.

CDY10TRY-ATC CDY10TRY-ATM CDY10TRY-ATM-LP CDY10TRY-MAX CDY5TRY-FMX



FUSE BLOCKS

PART NO	DESCRIPTION
BP/FB4-ATC	ATC 4 TERMINAL FUSE BLOCK
BP/FB6-ATC	ATC 6 TERMINAL FUSE BLOCK
BP/FB8-ATC	ATC 8 TERMINAL FUSE BLOCK
BP/FB10-ATC	ATC 10 TERMINAL FUSE BLOCK
BP/FB4-ATM	ATM 4 TERMINAL FUSE BLOCK
BP/FB6-ATM	ATM 6 TERMINAL FUSE BLOCK
BP/FB8-ATM	ATM 8 TERMINAL FUSE BLOCK
BP/FB10-ATM	ATM 10 TERMINAL FUSE BLOCK
BP/FB4-ATR	ATR 4 TERMINAL FUSE BLOCK
BP/FB6-ATR	ATR 6 TERMINAL FUSE BLOCK
BP/FB8-ATR	ATR 8 TERMINAL FUSE BLOCK
BP/FB10-ATR	ATR 10 TERMINAL FUSE BLOCK









U1P-10155

















(-TRA STRENGTH




CTK-52031-24









The Tree design, CAR-FRESHNER, and LITTLE TREES are trademarks. © Julius Sämann Ltd. R1-20





HEMIMINI™

114301

1000 lumens at 4 hours runtime 500 lumens at 8 hours runtime

- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours – charge anytime
- Aircraft-grade aluminium chassis
- 180° swivel hook
- Mini-USB charger (100-240V)
- Optional magnetic cover available
- Replacement parts available



HEMIPLUS™ 2

114302

1200 Lumens at 4 hours run time 600 lumens at 8 hours run time

- 4400 mAh smart lithium ion battery, rechargeable in 4 hours – charge anytime
- Aircraft grade aluminum chassis
- 360° metal hook
- Charging port
- Removable magnetic cover included
- Replacement parts available



HEMIPLUS™

114303

1000 lumens at 8 hours run time

- 8800 mAh smart lithium ion battery
- Rechargeable in 4 hours charge anytime
- Aircraft grade aluminum chassis
- 360 degree swivel hook
- Optional 12V charger and magnet



CLIPSTRIP™

111112

140 Lumens

- Powerful pocket light
- Strip array LED technology
- 180° swivel magnetic clip
- 3 AAA batteries included
- Sold as 12 pack counter display



33 LED PIVOT

24 458

160 Lumens

- 28 LED front | 5 LED top
- 360° swivel hook
- Magnetic pivoting base
- 3 AA batteries included



SPOTLIGHT MINI

111111

- 600 and 300 Lumens 5 W COB
- Magnetic base
- Adjustable joint for different angles
- Li-ion rechargeable battery 2600 mAh
- IP65 Waterproof
- Micro USB charger cable included
- Charger sold separately (PN 111111A)



HEAVY DUTY TRI-TAP CORD REEL 222315

- Tri-tap outlet
- 15 amp circuit breaker
- 50 ft. / 15.3m SJTW 12/3 cable



CHROME TRI-TAP CORD REEL 222308

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft. / 9.2m SJTW 14/3 cable





SOUNDLIGHT PRO

111122

LED: 20W COB

- Bluetooth speakers 2 x 3W
- Removable battery pack with 70 lumen light & USB port for charging devices
- 2000 Lumens 1 hour
- 1500 Lumens 1.5 hours
- 1000 Lumens 2.5 hours
- 500 Lumens 5 hours
- 60 Lumens 24 hours



PURIFIER™ 170AIR

- Fresh Air Ozone Machine
- Incorporates the latest in ozone purification technology
- Eliminates mold, mildew, & bacteria from cabin interiors & rooms
- Removes even the most offensive & stubborn odors such as tobacco smoke
- Portable design AC (100-240 V) & DC power
- 10 hour programmable timer with LCD



INCANDESCENT

101307/101315

- Grounded outlet handle
- 13 amp circuit breaker

101307 - 23 ft | 7 m SJOW 16/3 cable 101315 - 50 ft | 15.3 m SJOW 16/3 cable



INCANDESCENT

100307/100310/100315

Grounded outlet handle

100307 - 23 ft | 7 m SJTW 16/3 cable

100310 - 32 ft | 10 m SJTW 16/3 cable

100315 - 50 ft | 15.3 m SJTW 16/3 cable



SUPER SEAL™

946KIT

- Pro A/C Stop Leak
- Permanently seals & prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



PAO 68 OIL & PAO 68 OIL + DYE

51110/51111

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up

51110 - 34 oz | 1 L

51111 - 34 oz | 1 L + UV Dye



900012B - A/C DYE

909012B - MULTI-PURPOSE DYE

990012B - RADIATOR DYE

12 x 1/4 oz | 7.5 ml



900008 - A/C DYE

909008 - MULTI-PURPOSE DYE

990008 - RADIATOR DYE

8 oz | 240 ml





Arctic LR16SC & LCP3 Braided Hydraulic Hose to -57°C Service!

Continental's low-temp braided hose that is rated for extreme cold? Made for high-pressure service with tight bends. Excellent impulse performance and flexibility in extreme conditions.

PERFORMANCE + SPECS

Meets or exceeds the performance requirements of:

LR16SC: SAE 100R16 / EN 857 2SC or LCP3: SAE 100 R17

Meets flame resistance

USMSHA Designation

Meets higher

EN/DIN Pressures

LCP3-04

LCP3-06

LCP3-08

Inner Tube

Black nitrile synthetic rubber

Reinforcement

One braid of steel wire

Cover

Black CR (Polychloroprene)

Temperature Range

-70°F to 212°F (-57°C to 100°C)

KEY FEATURES







4:1 Safety Factor



#	#) (SAP))	(9	6	~ }	(a)	
Part Number	SAP Number	Hose Size ID	Hos	e OD	Max. Worki	ng Pressure	Min. Ber	nd Radius	Weight	Fitting
		in.	in.	mm	psi	MPa	in.	mm	lbs/ft.	
LR16SC-04	20977183	1/4	0.56	14.2	5800	40.0	2.0	51	0.28	B2
LR16SC-06	20977189	3/8	0.72	18.3	5000	34.5	2.5	64	0.33	B2
LR16SC-08	20901038	1/2	0.85	21.5	4500	31.0	3.5	89	0.38	B2
LR16SC-10	21008859	5/8	0.97	24.7	4000	27.6	4.0	102	0.46	B2
LR16SC-12	21009100	3/4	1.13	28.6	3500	24.1	5.0	127	0.59	B2
LR16SC-16	21009108	1	1.44	36.6	3000	20.7	6.0	152	1.06	B2

12.7

16.3

19.9

3250

3250

3250

22.4

22.4

22.4

1.5

2

2.8

Continental 3 Arcic LCP3 # (SAP) Part Number SAP Number Hose Size ID Hose OD Max. Working Pressure Min. Bend Radius mm psi MPa

0.50

0.64

0.79

1/4

3/8

1/2



38

51

71

(B)

Weight

lb./ft.

0.14

0.22

0.31

H--

Fitting

В2

В2

В2

21067732

21067739

21067784





Arctic LCPS Constant Pressure Spiral

Continental Arctic LCPS Constant Pressure spiral is the ideal hose for very high pressure applications where sustained performance and flexibility are critical – even at extreme low temperatures.





PERFORMANCE + SPECS

Meets or exceeds performance requirements of:

- SAE 100R12 / EN 856 4SH (LCP4S) -or-
- SAE 100R15 / EN 856 4SP (LCP6S)

Construction

- Black synthetic rubber tube low temperature resistant
- 4 or 6 alternating layers of spiraled high-tensile steel wire
- Black synthetic rubber cover low temperature resistant

KEY FEATURES



Low Temperature



Extreme Flexibility



Constant Pressure

P

(C)

CP4§

	Product	t 🛡			0		(*)					(в)		
(SAP)	(#)		ID		OD) [Max Working	Pressure	Bend R	adius	Min Burst	Pressure	Fitting	Weight
\circ		Fraction	in.	mm.	in.	mm.	PSI	MPa	in.	mm.	PSI	MPa	Type	(lb/ft)
21057238	LCP4S-06	3/8	0.38	9.50	0.80	20.25	4100	28.0	2.6	65	16,400	113	SG	0.40
 21065598	LCP4S-08	1/2	0.50	12.70	0.94	23.80	4100	28.0	3.5	90	16,400	113	SG	0.52
21065609	LCP4S-10	5/8	0.63	16.10	1.08	27.40	4100	28.0	3.9	100	16,400	113	SG	0.70
21057239	LCP4S-12	3/4	0.75	19.00	1.21	30.70	4100	28.0	4.7	120	16,400	113	SG	0.90
21065571	LCP4S-16	1	1.00	25.40	1.50	38.00	4100	28.0	5.9	150	16,400	113	SG	1.20
21058020	LCP4S-20	1-1/4	1.25	31.80	1.79	45.50	4100	28.0	10.6	270	16,400	113	SG	1.71

CP6S

	Product						(i)				(()	(Ib)		
(SAP)	(#)		ID		OD) N	/lax Working	Pressure	Bend R	adius	Min Burst	Pressure	Fitting	Weight
		Fraction	in.	mm.	in.	mm.	PSI	MPa	in.	mm.	PSI	MPa	Type	(lb/ft)
21058021	LCP6S-06	3/8	0.38	9.50	0.84	21.40	6100	42.0	3.5	90	24,400	168	SG	0.48
21065603	LCP6S-08	1/2	0.50	12.70	0.97	24.60	6100	42.0	3.5	90	24,400	168	SG	0.58
21065614	LCP6S-10	5/8	0.63	16.10	1.04	26.50	6100	42.0	4.7	120	24,400	168	SG	0.73
21058022	LCP6S-12	3/4	0.75	19.00	1.27	32.20	6100	42.0	4.7	120	24,400	168	SG	1.09
21065573	LCP6S-16	1	1.00	25.40	1.53	38.90	6100	42.0	5.9	150	24,400	168	SG	1.46
21058024	LCP6S-20	1-1/4	1.25	31.80	2.03	49.00	6100	42.0	17.5	445	24,400	168	SG	2.41



DS WIEW HOTORIAS

LEAKGUARD A/C SEALER

SPOTGUN™ JR. "LEAKGUARD" **INJECTION KIT 480300**

Includes

- Spotgun Jr. Injection system
- 2 x (1oz/30mL) Leakquard cartridge
- R134a hose

LEAKGUARD CARTRIDGES

LEAKGUARD WITH AC DYE



1oz./30ml 480301



8oz./240ml 480308



LEAKGUARD ONE SHOT W/ AC **EXTENDYE** 1oz./30ml 480501

A/C LEAK DETECTION KITS

SPOTGUN™JR./UV Phazer™ BLACK (AAA) Kit

332005A

4 x 1oz AC Extendve Cart.

UV Phazer Black Light (AAA)

R134a Hose

Storage Case



SPOTGUN™/ UV Phazer™ BLACK

(Rechargeable) Kit

414565A

8oz AC Extendye Cart.

UV Phazer Black Light (Rechargeable)

R134a Hose

Storage Case

SPOTGUN™ Injection Kit 471500A - R134A hose

471500YF - R1234yf hose





UNIVERSAL A/C EXTENDYE

CERTIFIED FOR USE IN R134A & R1234YF SYSTEMS



A/C EXTENDYE CARTRIDGE FOR SPOTGUN™ SYSTEM

499108A - Spotgun™ Cartridge 8oz/240mL





A/C EXTENDYE CARTRIDGES FOR SPOTGUN™ JR. SYSTEM 399006A (0.25oz) 399020A - 1oz. / 30ml 4x 30ml Services up to 40 vehicles



A/C EXTENDYE B499012A (.25oz) B499024A (1oz.)

499008A - Bottle 8oz/240mL

MULTI-PURPOSE DYES



MULTI-PURPOSE DYE 483208 - 8oz/240mL Bottle

MULTI-PURPOSE DYE B483206





RADIATOR COOLANT DYE 8oz (240mL) Bottle

RADIATOR COOLANT DYE

483908



RADIATOR COOLANT DYE For use with regular (green) coolant 6 Bottles 1oz/30mL B483906

DYE INJECTION KITS & CARTRIDGES A/C OIL SPOTGUN™

SPOTGUN™ R134A OIL INJECTION KIT 481500

SPOTGUN™ R1234YF OIL INJECTION KIT 481500YF (shown)



488046P PAG 46 Oil Cartridge 8oz. 488100P

PAG 100 Oil Cartridge 8oz. PAG 46 Oil Cartridge (For R1234YF) 8oz. 488046YF

Hybrid Electric Oil Cartridge OEM Approved 4oz. 488104H

A/C OIL BOTTLES



UNIVERSAL PAG OIL W/ DYE AND EBOOST 488016P

UNIVERSAL ESTER OIL W/ DYE AND EBOOST 488016E



488046PB PAG 46 8oz. Bottle

488046PBD PAG 46 8oz. Bottle with Dye

488100PB PAG 100 8oz. Bottle

488100PBD PAG 100 8oz. Bottle with Dye

MISTTM IN CAR HEALTHY AIR

MIST™ II ULTRASONIC CLEANING UNIT





MIST™ CLEANING SOLUTION 590250 - 100mL



MIST KILL-SHOT RTU DISINFECTANT CLEANER 590275C - 32oz

COMBUSTION LEAK TESTER



COMBUSTION LEAK TESTER KIT 560000

REPLACEMENT COMBUSTION LEAK TESTER FLUID 560500 - 16oz./480ml

MOTORVAC - CARBONCLEAN FUEL SYSTEM CLEANING



CARBONCLEAN MV3 400-0020 8oz (236ml) Bottle 400-0126 32oz (946ml) Bottle



CARBONCLEAN MV-5 480mL Bottle 400-0050



CARBONCLEAN MV-4 8oz (236ml) Bottle 400-0030



CARBONCLEAN MV-6 480mL Bottle 400-0060

GDI CLEANING



MOTORVAC® GDI INDUCTION SYSTEM CLEANER KIT 400-2225

CARBONCLEAN GDI INDUCTION CLEANER (473ml) Bottle 400-2425



GDI 2 PART SERVICE KIT (MV1-MV2 WASH & RINSE) 400-0458

MOTORVAC - EVAP LEAK DETECTION



COOL SMOKE REPLACEMENT FLUID (8oz/240ml) 400-1054

MOTORVAC - TRANSMISSION EXCHANGE KIT



TRANSTECH 2-STEP ATF CLEANER AND PROTECTANT KIT 400-0137

MOTORVAC - COOLANT EXCHANGE KIT



COOLANTCLEAN™ 2-STEP COOLANT CLEANER AND CONDITIONER KIT

(Six kits - 2 x 12 oz.)

400-0138

14



Brakleen® Original 75089 539 g aerosol 75091 19 L pail



Brakleen® Premium Non-Chlorinated 75088 397 g aerosol



Brakleen® Premium Non-Chlorinated With PowerJet™ Technology 75050 397 g aerosol



Disc Brake Quiet 75016 118 mL bottle 75017 255 g Aerosol



GDI IVD™ Intake Valve & Turbo Cleaner 75320x6 311 g aerosol



Synthetic Brake & Caliper Grease 75353 340 g tub with brush 75359 227 g brush top bottle



SensorKleen™ Mass Air Flow Sensor Cleaner 75110 312 g aerosol



Throttle Body Kleen™ 75078 340 g aerosol



Engine Degreaser 75025 425 g aerosol



Clean-R-Carb® 75081 454 g aerosol



Battery Cleaner With Acid Indicator 75097 312 g aerosol



Gasket Kleen™ 75021 340 g aerosol



Glass Cleaner 14100 510 g aerosol



Stainless Steel Cleaner & Polish 74424 510 g aerosol



De-Squeak Brake Conditioning Treatment 75080 319 g aerosol



Lectra-Motive[™] Electrical Parts Cleaner 75018 539 g aerosol



Battery Protector 75046 213 g aerosol



QD™ Electronic Cleaner 75012 128 g aerosol 75102 312 g aerosol



Jump Start® Starting Fluid With Lubricity 75671 312 g aerosol



1Tank Power Renew® Gasoline Formula 75815 444 mL bottle



Fuel Stabilizer 75380 237 mL bottle



Fuel Injector & Carburetor Cleaner 75061 355 mL bottle



FiberLock™ Head Gasket & Block Repair 75224 946 mL bottle



Posi-Trac™ Limited Slip Gear Oil Additive 742508 207 mL tube



Diesel Fuel Therapy Injector Cleaner Plus 75202 888 mL bottle 75203 3.785 L bottle



Diesel Fuel Therapy Injector Cleaner With Anti-Gel 75212 888 mL bottle 75213 3.785 L bottle



Diesel Fuel Anti-Gel 75221 355 mL bottle



Quick Flow™ Emergency Diesel-Gel Relief 75911



White Lithium Grease 14200 284 g aerosol



Power Lube Multi-Purpose Lubricant 75005 312 g aerosol 75007 3.785 L bottle 75009 19 L pail



Knock'er Loose™ Penetrating Solvent 73020 369 g aerosol



Screwloose[™]
Super Penetrant
75330 312 g aerosol



Freeze-Off® Super Penetrant 75222 326 g aerosol



Heavy Duty Silicone Lubricant 75074 213 g aerosol



Dry Graphite Lubricant 75101 320 g aerosol



Copper Anti-Seize Aerosol & Lubricating Compound 72095 340 g aerosol



Kool Tap FOAMY Cutting Fluid 74410 369 g aerosol



Chain & Wire Rope Lubricant 73050 284 g aerosol



Block Seal Head Gasket Repair 74016 329 ml bottle



Engine Stor™ Fogging Oil 75027 369 g aerosol



Zinc Mate[™] 75054 369 g aerosol



Rubberized Undercoating 75034 450 g aerosol



Ice-Off™ Windshield Spray De-Icer 75346 340 g aerosol



Bug Blast™ Wasp & Hornet Killer 72010 397 g aerosol



Cutting Oil 75500 340 g aerosol



Foam Minimal Expansion Sealant 74077 340 g aerosol



Duster Aerosol Dust Removal System 74085 227 g aerosol



Leak Detector 74503 397 g aerosol



Compressor Oil 75133 3.785 L Bottle



TYME 1 Cold Parts Cleaner 1750565 3.78 L Bottle



Belt Dressing 75350 213 g aerosol



Empty Trigger Bottle 14021 710 ml sprayer



6-56 Marine Multi Purpose Lubricant 76007 312 g aerosol



Aluminex Clean & Shine 76332 946 ml Bottle



NOW AVAILABLE

BRĀKLEEN® Brake Parts Cleaner Non-Chlorinated

Introducing the newest Non-Chlorinated brake parts cleaner for Canada from the #1 brand worldwide. Specially formulated to remove even the strongest contaminants from brake linings and pads.

Innovative Features:

- ✓ Low Odour
- ▲ Fast Cleaning
- Evaporates Quickly

Applications:

- Brake Cylinders
- ▲ Brake Drums
- Brake Linings
- ▲ Brake Shoes
- Calipers
- Clutch Discs

- ✓ PowerJet[™] Technology for high output to blast through the toughest soils
 - Higher fill weight than competition means fewer cans, less waste
 - ∠ Safe for use on all brake systems
 - Professional use only, not intended for household use



ITEM #	CASE/ORDER#	UPC#	Container Size	Fill Weight	Units per Case
1752253	1752254	078254001258	20 oz	411 g	12



Dayco Service Hose



DAYCO® Small I.D. Molded Heater Hose

The Dayco Small I.D. Molded Heater Hose is designed to replace OEM coolant hose in applications where molded hose in small diameters (1" I.D. or smaller) is required. The molded configuration eliminates the need for multiple connections of hoses and clamps when added to Dayco's line of molded heater hose and assemblies.

DAYCO® Fuel Line Hose

Designed for use on all types of carbureted gasoline engines, the Dayco Fuel Line Hose offers excellent resistance to oil, gasoline, grease, and weather. The hose is constructed with a neoprene cover and nitrile tube for use with leaded, unleaded gasoline and diesel fuel.





DAYCO® Fuel Injection Hose

Designed to safely and efficiently handle the higher pressure, temperatures, and chemical problems inherent in today's hotter running, fuel injected engines, the Dayco Fuel Injection Hose is constructed with a tough fluoro-elastomer, low permeation, gasohol and diesel fuel inner tube that provides exceptional resistance to alcohol blended fuels that weaken normal fuel injection hose.

DAYCO® Windshield Washer/Vacuum Tubing

Designed to replace worn windshield washer tubing, as well as general automotive vacuum applications such as retractable headlights, sensors, etc., the Dayco Windshield Washer/Vacuum Tubing has a temperature rating of -40°F (-40°C) to +212°F (+100°C). It features a flexible, long-life EPDM rubber construction that resists normal use exposure to oil, grease, and heat deterioration, and remains flexible at low temperatures.





DAYCO® DAYPERM™ Hose

This low permeation, multi-layered rubber hose is recommended as a fuel liquid or vapor carrying component for low to medium pressure (50 psi or less, not fuel injection). The Dayco Dayperm hose is ideally suited for automotive, lawn and garden, off-road and small industrial trucks and truck fleet applications.

DAYCO® DAYPERM™ II Hose

The Dayco Dayperm II Hose is a multi-layered rubber hose with low permeation recommended for carburetion applications on small engines and older carbureted vehicles using liquid fuels. This hose meets all SAE J30R14T2 requirements and is CARB and EPA compliant. This Dayperm™ II Hose is compatible with leaded, unleaded, and gasohol fuels as well as bio-diesel fuel and ethanol blended gasoline.





DAYCO® GOLD LABEL® Silicone Heater Hose

The Dayco Gold Label Silicone Heater Hose, designed for long life in heavy duty applications, is made with special silicone compounds and reinforced with one ply of braided polyester yarn. This SAE 20R3, Class A hose is highly resistant to the deteriorating effects of oil, ozone, coolants, and coolant additives. In addition to being extremely flexible, this silicone hose has the highest temperature rating, namely -40°F (-40°C) to $+350^{\circ}\text{F}$ ($+175^{\circ}\text{C}$), and longest service life of any Dayco heater hose product.



Dayco Garage Exhaust Hose & Accessories



DAYCO® Flare-Vent® Hose

Designed to connect the vehicle's exhaust pipe to a central exhaust system or a garage door vent, the Dayco Flare-Vent Hose features an accordion-type design for added flexibility, and a flared end for connecting one length to another. No separate connectors are required.

DAYCO® Super-Vent® Hose

Designed for overhead exhaust systems where a tight bend radius is required, the Dayco Super-Vent Hose features an accordion type construction which enables it to make turns with a small bend radius. It is available in either 4" or 5" I.D.





DAYCO® Tailpipe Adapters

Designed to interface between an auto or truck tailpipe or diesel truck stack and the garage exhaust hose itself and constructed to withstand the high tailpipe temperatures of modern vehicles, a variety of shapes and sizes of Dayco Tailpipe Adaptors are available to enable an exact match for virtually every application need. The adapters feature a universal design that will mate with the appropriate connectors.

DAYCO® Universal Bell-Shaped Adapter

Available for use with 2 1/2" and 3 1/2" hose, as well as with 2" and 3" hose. Screws over 2" or into 3" hose.





DAYCO® Universal Oval Adapter

For use on twin tailpipes and oval tailpipes. Screws over 3" or into 4" hose.

DAYCO® Universal Straight Truck Adapter

Use with tailpipe adapter for trucks and threads over 3 1/2" or into 4" hose.





DAYCO® Y-Connectors

Designed for the merging of two hoses into one typically used with dual exhaust vehicles. Available for 2'', 3'' and 4'' hose.

DAYCO® Door Port Fittings

Designed for service station and garage doors. Available for use with 2 ½, 3" and 4" hose.





DAYCO® Splice Connectors

Designed for joining multiple lengths of exhaust hose. Available for use with 2", 2 ½", 3" and 4" hose.



Description	part#	ID	Length	Use With	DAYCO® Fuel Line Hose (cont.)				
			•			80072	3/16"	2′	Clamshell
DAYCO® Flare-Vent® Hose						80073	1/4"	2′	Clamshell
	63520	2"	11′			80074	5/16"	2′	Clamshell
	63525	2 1/2"	11′			80075	3/8"	2′	Clamshell
	63530	3"	11′			80076	7/16"	2′	Clamshell
	63535	3 1/2"	11′			93036	1/2"	25'	Box
	63540	4"	11′			93037 93038	5/8" 3/4"	25' 25'	Box Box
					DAYCO® Fuel Injection Hose	73030	3/4	23	DUX
DAYCO® Super-Vent® Hose					DATCO Fuel injection nose	00070	4 /4//	2/	<i>c</i> l
	63640	4"	20'			80078	1/4"	2'	Clamshell
	63650	5"	12'			80079 80080	5/16" 3/8"	2' 2'	Clamshell Clamshell
						80083	3/6 1/4"	2 10'	Box
DAYCO® Tailpipe Adapter						80084	5/16"	10'	Box
	64025		-	/2" O.D. to 2" O.D.		80085	3/8"	10'	Box
	64030).D. to 2 1/2" O.D.		80088	1/4"	25′	Spool
	64035		2 1/	/2" O.D. to 3" O.D.		80089	5/16"	25'	Spool
DAVGORII ' I D. II GI I A I						80090	3/8"	25'	Spool
DAYCO® Universal Bell-Shaped Adapter						80091	1/4"	250'	Reel
	64125).D. or 3 1/2" O.D.		80092	5/16"	250'	Reel
	64130			2" O.D. or 3" O.D.		80093	3/8"	250'	Reel
DAVGORII I I I I I I I I I I I I I I I I I I									
DAYCO® Universal Oval Adapter					DAYCO® Windshield Washer/Vacuum Tu	-			
	64048			3" O.D. or 4" O.D.		80204	1/4"	50′	Spool
DAYCON II.						80205	7/64"	50′	Spool
DAYCO® Universal Straight Truck Adapter						80206	5/32"	50′	Spool
	64140			4" hose		80207	7/32"	50′	Spool
						80208	9/32"	50'	Spool
DAVISOR V.S.						80209 80210	7/64" 5/32"	6' 6'	Clamshell Clamshell
DAYCO® Y-Connectors						80210	3/32" 7/32"	6′	Clamshell
	64220			2" hose		80216	5/32"	250′	Reel
	64225			2 1/2" hose		80217	7/32"	250'	Reel
	64230			3" hose		002.7	.,,,_	250	
	64240			4" hose	DAYCO® DAYPERM™ Hose				
DAYCO® Door Port Fittings						80142	1/4"	2′	Clamshell
Differ Door Fort Hamily	64425			2 1/2" hose		80143	1/4"	25'	Spool
	64430			3" hose		80144	1/4"	50'	Box
	64440			4" hose		80145	1/4"	250'	Reel
	01110			1 11050		80146	5/16"	2'	Clamshell
DAYCO® Splice Connectors						80147	5/16"	25′	Spool
•	64520			2" hose		80148	5/16"	50′	Box
	64525			2 1/2" hose		80149	5/16"	250′	Reel
	64530			3" hose		80150 80151	3/8" 3/8"	2' 25'	Clamshell
	64540			4" hose		80152	3/8"	50'	Spool Box
	64640			4" hose		80153	3/8"	250'	Reel
	64650			5" hose		00133	3/0	230	neci
					DAYCO® DAYPERM™ II Hose				
Description	part#	ID	Length	Packaging		80520	1/4"	2′	Clamshell
DAYCO® Fuel Line Hose						80521	1/4"	25'	Spool
DATCO Fuel Lille Hose	00051	1 /0//	25/	6 1		80522	1/4"	250'	Reel
	80051	1/8"	25'	Spool		80523	5/16"	2′	Clamshell
	80052	1/8"	50'	Box		80524	5/16"	25'	Spool
	80053 80054	1/8" 3/16"	250′ 25′	Reel		80525	5/16"	250'	Reel
	80055	3/16"	50'	Spool Box		80526	3/8"	2′	Clamshell
	80056	3/16"	250'	Reel		80527	3/8"	25′	Spool
	80057	1/4"	25'	Spool		80528	3/8"	250′	Reel
	80058	1/4"	50'	Box	DAVCOS COLD LABELS Cilicona Hantar II	la.a			
	80059	1/4"	250′	Reel	DAYCO® GOLD LABEL® Silicone Heater H		F /0"	25'	
	80060	5/16"	25'	Spool		80241GI		25′	Carton
	80061	5/16"	50′	Box		80242GI		25'	Carton
	80062	5/16"	250'	Reel		80243GI 80244GI		25'	Carton
	80063	3/8"	25'	Spool		80244GI 80245GI		25' 25'	Carton Carton
	80064	3/8"	50′	Box		80251GI		50'	Carton
	80065	3/8"	250′	Reel		80252GI		50'	Carton
	80066	7/16"	25'	Spool		80253GI		25'	Carton
	80067	7/16" 7/16"	50'	Box		80254GI		50'	Carton
	80068	7/16"	250′	Reel		80255GI		25′	Carton












LB-10SP SHOP PACK Commercial pack containing 10 wipes.


LENSBOOST°

Restore and protect old headlights with LensBoost, Canada's fastest headlight restoration wipe!









Assortments That Pay For Themselves in Three Repairs!



Fits 99% of import & domestic light duty cars & trucks

Nylon Fuel Line Repair Kit 83 pieces

- Save time and money by replacing only the damaged section. No more difficult manipulation of entire fuel lines
- · Complete tech tray straight and elbow connectors included to tackle the most popular applications
- Steel line to nylon line adapters allows an old steel fuel line to be repaired with updated nylon line
- Exclusive features includes updated tool included for 45°, 90° and 180° connectors
- Professional-quality tool with ergonomic clamp-type grip



Assortment of the most common SAE & Metric fittings & tubing

A/C Line Repair Kit 32 pieces

- Remove only the damaged section and splice the line back together
- Hose to line adapters transition from rubber hose to aluminum line easliy
- Aluminum tubing included for long assembly repairs
- Small tubing cutter for quick and clean on vehicle cutting




Covering over 5 million GM & 8 million Ford vehicles

Coolant Line Repair Kit 60 pieces

- · Cost-efficient and time-saving alternative to purchasing components separately
- · Plastic and metal connector clips to replace brittle, cracked, or bent originals
- Common connectors for domestic and universal repairs
- Small profile disconnect tool for hard to reach heater hose quick connectors
- Flexible hose clamp driver for 1/4" or 5/16" screw clamp heads

FIXES FOR BROKEN OR LOST KEYLESS REMOTES













General Purpose Enamel Multiple Colours Available

General Purpose Lacquer Multiple Colours Available

Scratch Filler & Primer

Filler & Sandable **Primer**















Gloss Black

Item # CDA1600 Item # CDA1663 School Bus Yellow

Item # CDAL1675 Gloss White

Item # CDAL1679 Item # CFP101 Silver Metallic Gray

Item # CFP102 Red Oxide

Item # CDAP170 Hi-Build 2-IN-1

Engine Paint with CERAMIC™ Multiple Colours Available

Wheel Coating Multiple Colours Available

Bed Liner













Item # CDE1601 Ford Blue

Item # CDE1607 Chevrolet Orange-Red

Item # CHWP10100 High Performance Silver

Item # CHWP103 High Performance Clear

Item # CBAK2010 Bed Armor Gallon Kit

Item # CTR250 Truck Bed Coating Aerosol

Farm & Implement Paints

Multiple Colours Available





















Item # 41932 John Deere Green

Item # 41934 John Deere Yellow

Item # 469000 Gloss White

Item # 469005 Gloss Leather Brown

Item # 469035 Flat Black

Item # 469038

Item # 469042 Gray Primer Rust Converting Primer

Flameproof™ Coating Multiple Colours Available







www.duplicolor.com www.krylon.ca www.vhtpaint.com

Caliper Paint Multiple Colours Available





Item # CSP101 Flat White

Item # CSP102 Flat Black

Item # CSP731 Real Red

Item # CSP734 Gloss Black



Strong, long-lasting alkaline batteries guaranteed not to leak!



EN22 9V (12/pk) EN91 AA (24/pk) EN92 AAA (24/pk) EN93 C (12/pk) EN95 D (12/pk)



VISION HD FOCUS EPMZH21E

- Durable aircraft grade aluminum construction
- MAXVIZ Technology to deliver a wide, powerful beam and highdefinition vision
- Features LED technology



METAL PEN LIGHT PLED23AE

- Durable construction featuring a robust, metal clip
- Up to 4X Brighter than Standard LED Technology
- Features LED technology



WORK LIGHT

HCAL41E

- Exceptionally durable construction for the most demanding jobs
- Latest LED technology provides clear, bright light
- Wide angle 180™ area light



TASK LIGHT TUF2AAPE

- Rugged polymer and durable overmold maximize shock absorption
- Smart Dimming technology for customized light output and extended runtime
- Features LED technology



VISION HD+ FOCUS HEADLIGHT™ HDD32E

400 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



VISION HD+ FOCUS HEADLIGHT™ HDDIN32E

315 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on







PROFESSIONAL MECHANICS FENDER COVER Standard

FC1

- Expanded vinyl material
- 110 gauge thick
- Full length sewn in tool ridge
- Size: 34" x 26"





www.ezred.com









AM80S HORN

O.E.M. Replacement Horn.

- 125 dB of sound
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

72002 - High Note 72012 - Low Note



HK 9 DISC HORN

O.E.M. Replacement Disc Horn.

- Powerful high frequency 130 dB of sound
- High durability, water & corrosion resistant steel housing horn
- Universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

40310 - High Note | 40365 - Low Note



AM80S HORN FREEWAY BLASTER

Extra Loud O.E.M. Replacement Horn

- Powerful 130 dB of sound!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

72102 - High Note 72112 - Low Note



BIG HORN

65808

In addition to protecting the environment, the new unit also meets all Coast Guard requirements with a loud output of 125 dB @ one meter. Ideal for boating, construction work sites, camping, biking and sporting events.



BRAKE FLUID Features:

- Dot 3
- Available in 350ml (Part # DOT3-350),
 500ml (Part # DOT3-500), 1L (Part # DOT3-1L),
 3.78L (Part # DOT3-4L) and 18.9L (Part # DOT3-19L)
- Recommended for use in all hydraulic drum and disc brakes and hydraulic clutches that require dot 3 fluids
- Mixes with regular brake fluids
- Provides excellent flow at low temperatures for superior braking response
- Conforms to CMVSS 116



Vulsay Industries Ltd.



DESIGN MANUFACTURE DISTRIBUTE



- R134a & R1234yf Service Equipment
- Oils, UV Dyes and Chemicals
- Replacement A/C Hardware
- Aluminum Tubing & Barrier Hose
- Tubing/Hose Splicing, Block Off & Repair
- Tubing & Hose Repair Tools
- Assortments for all Budgets





- Fluid Lines & Premade Line Sets
- Repair Hardware
- Bleeder Screws & Caliper Bolts
- Banjo & Flex Line Bolts
- Line Nuts, Unions & Adapters
- Line Flaring, Cutting & Bending Tools
- Assortments for all Budgets





- Fluid Lines & Premade Line Sets
- Fuel Injection Hose & Nylon Tubing
- Repair Hardware
- Connectors, Clips, Fittings & Joiners



- Assortments for all Budgets





- Fluid Lines & Premade Line Sets
- Repair Hardware
- Line Flaring, Cutting & Bending Tools
- Repair Assortments





MANUFACTL **ISTRIB**I






- Replacement Hardware
- Connectors, Fittings & Joiners
- Fluid Lines

- Line Flaring, Cutting & Bending Tools
- Assortments for all Budgets
- Application Guide Available





- Extensive Vehicle Coverage
- Standard Nuts for Steel Wheels
- Solid Steel/Chrome Plated **Wheel Nuts**
- Assortments for all Budgets
- Application Guide Available






- Extensive Vehicle Coverage
- Oil Pan Drain Plugs (OE Designs)
- Drain Plug Gaskets (Large Selection)
- Repair Options
- Assortments for all Budgets
- Application Guide Available





- Fluid Lines/Tubing/Hose
- Brake & Fuel Hardware
- Wheel Nuts & Drain Plugs
- Transmission & Power **Steering Hardware**
- Brass Hardware & Clamps
- General Automotive Hardware
- Air Conditioning Line **Repair & Hardware**









ORIGINAL GORILLA GLUE

Tough, expanding, sticks to everything glue. Incredibly strong and ideal for indoor and outdoor applications, Gorilla Glue is known for its industrial holding power and versatility, regardless of the surface.

5100201 - 2oz

51008T - 8oz

5100402 - 4oz



GORILLA SUPER GLUE

Developed for long-lasting repairs in an instant, Gorilla Super Glue is designed with an impact-tough formula to handle bumps and drops with a strong, reliable bond.

7805201 - 20g bottle



CLEAR GORILLA GLUE

Clear Gorilla Glue is incredibly strong and is ideal for indoor and outdoor applications and bonds virtually everything.

4510103 - 1.75oz 4637502 - 3.75oz



GORILLA EPOXY

Gorilla takes epoxy to the Gorilla tough level. Easy to dispense, and use, Gorilla Epoxy brings a strong, longlasting bond for household and automotive repairs, alike. The two-part, gap-filling formula easily bonds steel, aluminum, wood, ceramic, tile and much more.

4200602 - .85oz



GORILLA WOOD GLUE

Gorilla Wood Glue is the reliable adhesive that woodworkers. carpenters and hobbyists trust for their woodworking projects. Gorilla Wood Glue's premium formula creates a cross-linking bond to provide superior strength indoors or out.

6200201 - 8oz



GORILLA CLEAR GRIP

Gorilla Clear Grip® is a flexible, fast-setting, crystal clear contact adhesive that creates a strong, permanent bond. Gorilla Clear Grip® is paintable and waterproof making it great for projects both inside and out! Build, Repair, Craft™

8140002 - 14oz



GORILLA CONSTRUCTION ADHESIVE

Gorilla Construction Adhesive is a tough, versatile, and water resistant formula that offers instant grab, superior strength, and bonds virtually any surface!

8110003 - 9oz cartridge



GORILLA SPRAY ADHESIVE

Gorilla Spray Adhesive is heavy duty, multi-purpose and easy to use. While repositionable for up to 10 minutes, Gorilla Spray adhesive forms a clear, permanent bond that is photo safe.

6341502 - 14oz



GEL

No Run Control Gel Formula

7710101 - 3g tubes



GORILLA TAPE TOUGH & WIDE

6003001 - 30 yards



GORILLA TAPE TO-GO

6101002 - 30 feet



WHITE GORILLA TAPE

6025001 - 30 yards 6010002 - 10 yards



GORILLA TAPE CAMO

6013902 - 9 yards



SILVER GORILLA TAPE

6074004 - 35 yards 6071202 - 12 yards



GORILLA CLEAR REPAIR

6127002 - 9 yards



MOUNTING TAPE

6065102 - 1x60 inch

6155002 - Heavy Duty 1x60 inch



FOR HEALTHY FEET FOOT CREAM

K1320001 - 3.2oz ,jar



EASY INSTALLATION - LOW MAINTENANCE - HIGH PERFORMANCE





> 12V Modular Fuel Transfer Pump

Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe
162000-03	G20-012AD	Automatic	14 ft.	Installed	Spin Collar	Included
162000-02	G20-012MD	Manual	14 ft.	Installed	Spin Collar	Included
162000-01	G20-012PX	None	None	None	Spin Collar	None

*Extended warranty coverage requires registration with GPI. Default warranty is 2 years. Visit api.net/product-registration/



Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe
110612-02	M-180S-AU w/filter kit	Automatic	12 ft.	Installed	Spin Collar	Included
110300-2	M-180S-AU	Automatic	12 ft.	Installed	Spin Collar	Included
110300-1	M-180S-ML	Manual	12 ft.	Installed	Spin Collar	Included

SAVE TIME WITH THESE GPI UPGRADES:

Quick-Fit Modular Connections Factory-Installed **Power Cord** Spin Collar Mount

Telescoping Suction Pipe

Visit gpi.net to learn more!

©2020 Great Plains Industries, Inc. All Rights Reserved.



Lockable 110000-99 M-150S-MU Manual 12 ft. Installed Included Lockable Collar M-150S-EM 110000-107 Manual 10 ft. Direct Standard Installed Included Spin 110000-103 M-150S-P0 None None Included* None Lockable

*Customer installation required



8 GPM


Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe	Nozzle Holder
137100-01	EZ-8	Manual	10 ft.	Installed	Direct	Included	Standard

Part No. 147000-01 G8P

Pumps fluid on both the push and pull strokes for fast delivery

For use with:

diesel fuel, kerosene, medium oil (up to 30W), and hydraulic fluid



> 12V Portable Fuel Transfer Pump

litres

50 gallons

per 100 strokes



30 L/min (8 GPM)

Model

> Hand Pump







SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select[™] | **High Value**

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

STOP/TAIL/TURN LAMPS

PART #	DESCRIPTION						
SUPERNO	VA						
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED						
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER						
54332	LED, 4" STOP/TAIL/TURN LAMP, RED						
54333	LED, 4" STOP/TAIL/TURN LAMP, AMBER						
HI COUNT	Г						
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED						
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER						
GROTE SE	ELECT						
54342	LED S/T/T LAMP, LED 4" RED						
54343	LED S/T/T LAMP, LED 4" AMBER						
SUPERNO	SUPERNOVA						
53962	LED, OVAL PLASTIC						
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER						
SUPERNO	VA 9 DIODE						
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE						
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE						
SUPERNO	VA NEXGEN						
54162	RED LED OVAL STT LAMP						
54163	YELLOW LED OVAL AUX LAMP						
HI COUNT	Γ						
G6002	HIGH COUNT 60 SERIES LED, RED						
G6003	HI COUNT OVAL LED AMBER						
GROTE SE	LECT						
54172	RED LED OVAL STT LAMP						
54173	YELLOW LED OVAL AUX LAMP						

CLEARANCE/MARKER LAMPS

	-
PART #	DESCRIPTION
MICRONO	VA DOT
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONO	VA
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNO	VA 2"
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT	7 2"
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNO	VA BEEHIVE
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT	BEEHIVE
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNO	VA
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT	1 9 DIODE
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER











Trilliant® Series of LED Work Lamps

THERE'S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- · Long-lasting, cool running, high output LED work lamp
- Field tested to survive in brutal off-road conditions
- Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Integrated circuit protection
- ECE R10, Dir.72/245/EEC, Amended by 2006/28/EC
- · Color temperature provides a natural contrast most like sunlight, reducing eye fatigue



Small size combined with tough construction allows mounting in places where larger or less rugged lamps cannot fit or survive



Trilliant® Cube

Compact 4x4, rugged design with superior LED electronic circuitry outperforms lamps twice its size and weight

63981-5

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN						
TRILLIANT T	TRILLIANT T26 LED WORK LAMPS								
64E01-5	T26 LED WORK LAMP, PINCH MOUNT, FAR PATTERN	10 - 48	1800						
64E11-5	T26 LED WORK LAMP, PINCH MOUNT, NEAR PATTERN	10 - 48	1800						
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800						
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800						
TRILLIANT CUBE WORK LAMPS									
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200						
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200						
63F61	TRILLIANT® CUBE, W/FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500						
63F71	TRILLIANT® CUBE, W/WIDE FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500						
TRILLIANT L	ED WORK LAMPS								
63571	TRILLIANT® LED WORK LAMP, SPOT PATTERN	12/24	1300						
63581	TRILLIANT® LED WORK LAMP, FLOOD PATTERN	12/24	1600						
63591	TRILLIANT® LED WORK LAMP, TRAPEZOID PATTERN	12/24	1600						
63E41	TRILLIANT® LED WORK LAMP, FLOOD PATTERN, W/REFLECTOR	12/24	2400						









Grote Brite Zone™

LED WORK LAMPS FOR BOTH WORK AND PLAY

With rugged, durable construction and LED power that far outshines halogen, BriteZone lamps get the job done.

Boating. Mowing. Off-roading. Working. Long after the sun goes down, you need a lamp that's as tough and tireless as you are.

Grote's BriteZone range has the LED lamp to shed light on any use – even tow trucks, garbage trucks and forklifts – without breaking the bank.

Value priced to meet your budget.



PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
BRITE ZONE			
BZ101-5	BRITE ZONE™ ROUND LED WORK LAMP	9 - 32	1600
BZ201-5	BRITE ZONE™ SQUARE LED WORK LAMP	9 - 32	1100
BZ301-5	BRITE ZONE™ SLIM LED WORK LAMP	9 - 32	1400
BZ601-5	BRITE ZONE™ MINI SQUARE LED WORK LAMP	12 - 36	775
BZ501-5	BRITE ZONE™ GO ANYWHERE LED WORK LAMP	12	1100
BZ401-5	BRITE ZONE™ EZ GRIP LED WORK LAMP	12	775
BZ511-5	BRITE ZONE™ MOSSY OAK® CAMO GO ANYWHERE LED WORK LAMP	12	1100
BZ551-5	BRITE ZONE™ LED WORK LAMP	12 - 30	1200
BZ111-5	BRITE ZONE™ SMALL ROUND WORK LAMP	12 - 36	1240





Grote's Warning and Hazard Lighting Solutions

Improve Visibility. Improve Safety.

The Right Lighting Solution for Your Environment!



PART #	DESCRIPTION
BACKUP AL	ARMS
73040	BACKUP ALARM 97DB, SAE J994 TYPE C, 12-24V
73310	BACKUP ALARM MULTI-FREQENCY 97DB, SAE J994 TYPE C, 12-24V
BEACONS	
78013	AMBER LED BEACON W/CLR DOME, CLASS I, 12-24V
78033	AMBER LED BEACON, SHORT DOME, CLASS I, 12-24V
78053	AMBER LED BEACON, TALL DOME, CLASS I, 12-24V
78853	AMBER LED BEACON, SHORT DOME, CLASS II, 12-24V
78863	AMBER LED VAC/MAG BEACON SHORT DOME, CLASS II, 12V
78063	AMBER LED BEACON, TALL DOME, CLASS II, 12-24V
78093	AMBER LED BEACON, COMPACT DOME, CLASS III, 12-72V
78103	AMBER LED MAGNETIC BEACON, COMPACT DOME, CLASS III, 12V
78113	AMBER LED MATERIAL HANDLING BEACON, CLASS III, 12-72V
DIRECTIONA	ALS
78370	AMBER 20" LED WARNING STICK, CLASS I, 12V
78380	AMBER 30" LED WARNING STICK, CLASS I, 12V
77353	AMBER LED 4" ROUND WARNING LIGHT, CLASS II, 12V
77355	BLUE LED 4" ROUND WARNING LIGHT, CLASS III, 12V
77363	AMBER LED 6" OVAL WARNING LIGHT, CLASS II, 12V
77365	BLUE LED 6" OVAL WARNING LIGHT, CLASS II, 12V
78146	AMBER/BLUE LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V
78143	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V
78163	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12V
77463	AMBER LED DIRECTIONAL, CLASS I, 12V
77933	AMBER LED VERTEX HIDE-AWAY STROBES, 12V
MINIBARS	
76703	AMBER 15" LED MINIBAR, CLASS II, 12-24V
78023	AMBER 16" LED MINIBAR, CLASS I, 12-24V
78133	AMBER 16" LED VAC/MAG MINIBAR, CLASS I, 12V
76983	AMBER 17" LED MINIBAR, CLASS I, 12V
76993	AMBER 17" LED MAGNETIC MINIBAR, CLASS I, 12V





Fuse Products

Grote Electrical Connections and Accessories proudly introduces our new offering of Fuse and Circuit Protection products. Grote has over 200 SKU's available representing the most popular and indemand fuse and circuit protection products including a variety of assortment packs.



Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.





Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!











COATED AND CHEMICAL GLOVES



051180C 6-11 NITRILE FOAM COATED GLOVES

HORIZON

- Polyester shell 13 gauge
- Sanitized treatment
- Elastic knit cuff



051260C 7-10 POLYURETHANE COATED GLOVES

- HURIZUN
- Polyester shell 13 gauge
- Elastic knit cuff



758124B S-XL LATEX COATED GLOVES

HORIZON

- Textured latex coated
- Polyester and cotton shell 13 gauge
- Elastic knit cuff



051144 SM & LXL LATEX FOAM COATED GLOVES

HORIZON

- Hi-vis polyester shell 13 gauge
- Elastic knit cuff



10 PACK OF NITRILE COATED GLOVES

- WORKTUFF
- Polyester shellElastic knit cuff



054056G14B & 054056G18 L DOUBLE COATED PVC GLOVES

HORIZON

- Double coated PVC with rough finish
- Available in 14 in and 18 in

DISPOSABLE GLOVES



792455 | S-XL (Powder free) **792455P** | M-XL (Powdered) **4 MIL. NITRILE GLOVES**

HURIZUN

- Dispenser box contains 100 gloves
- Ambidextrous



792456D | S-2XL 6 MIL. NITRILE GLOVES WORKTUFF

- Dispenser box contains 50 gloves
- Powder free
- Raised diamond textured



792457D S-2XL 7 MIL. NITRILE GLOVES WORKTUFF

- Dispenser box contains 50 gloves
- Powder free
- Raised diamond textured



792458D | S-2XL 8 MIL. NITRILE GLOVES WORKTUFF

- Dispenser box contains 50 gloves
- Powder free
- Raised diamond textured

WINTER GLOVES



750760 | S-XL **LINED LATEX COATED GLOVES HORIZON**

- Polyester shell 10 gauge
- Brushed cotton fleece lining
- Elastic knit cuff



758360FR L **PVC WORK GLOVES**

- Double coated PVC
- Foam and brushed cotton lining
- Sanitized treatment



721800BOPP L-XL **COWHIDE WINTER GLOVES HORIZON**

- Cotton back with elastic,
- Additional patch on palm
- Acrylic pile lining



72360RFLBO M-2TG **COWHIDE WINTER GLOVES**

- Cotton back with elastic
- Rubberized cuff
- Acrylic pile lining

LEATHER AND PERFORMANCE GLOVES



021600PLPP L **021600PPXL** XL **COWHIDE WORK GLOVES**

- Cotton back with elastic
- Rubberized cuff
- 3 pieces palm & lined palm



789272DI M-XL **IMPACT PERFORMANCE GLOVES DICKIES**

- Synthetic leather palm
- · Protection on back of the hand
- Silicone print on 3 fingers



789274DI M-XL **PERFORMANCE GLOVES**

DICKIES

- PU Diamond textured palm
- Spandex back
- Compatible with touch screens



789268DI | M-XL **IMPACT PERFORMANCE GLOVES DICKIES**

- Synthetic leather palm
- Protection on back of the hand
- Compatible with touch screens
- Assorted colors

Y GLASSES



140008 ONE SIZE **VISITOR SAFETY GLASSES**

- Lightweight, frameless, integrated nosepiece, anti-scratch & anti-static
 Blocks over 99% UVB and UVA rays





140010 ONE SIZE **SAFETY GLASSES**

- Soft nosepiece, anti-slip arm, anti-fog, anti-scratch & anti-static
- Blocks over 99% UVB and UVA rays

ROPE



3 STRANDS TWISTED POLYPROPYLENE ROPE ON REEL

140008AM

140008SK

BARRY & BOULERICE

This rope is an affordable choice as a general-purpose rope, because it's lightweight and long-lasting. It is ideal for industrial, construction, commercial and household applications.

A1PJ/316 - 3/16" X 2125' | 4.8 MM X 648 M **A1PJ/014** - 1/4" X 1300' | 6.4 MM X 396 M **A1PJ/516** - 5/16" X 975' | 7.9 MM X 297 M A1PJ/038 - 33/8" X 630' | 9.5 MM X 192 M A1PJ/012 - 1/2" X 335' | 12.7 MM X 102 M A1PJ/058 - 5/8" X 200' | 16 MM X 61 M A1PJ/034 - 3/4" X 125' | 19 MM X 38 M



TELESCOPIC SNOWBROOMS

ULTIMATE POLAR VORTEX™ SNOWBROOM

- 360° Pivoting head functions as broom or brush
- No scratch EVA foam works as a snowplow, extra wide frost blade, or squeegee


50" CROSSOVER SUPER-DUTY **SNOWBROOM**

14039C Pivoting head swivels from broom to brush position with the push of a button.

SPORT 8 UTILITY BROOM™ 581-E Extends from 30" to 48".

TELE SNOBROOM™ 511-E Compact telescopic snow broom extends from 23" to 36".

LONG REACH SNOWBRUSHES ideal for clearing snow from all vehicles



MEGA MAXX® 989-34 34" long, superior

MAXX® 35 889-35 35" extra long, superior

MOSSY OAK® **SNOWBRUSH** MOD24-886CB 31" long



REGULAR REACH SNOWBRUSHES

EXTRA LONG SNOWBROOM



COOL SNOW TOOL®

532

26" long, 5 row wide. Sweeps snow and slush with little effort.



51" ARCTIC PLOW™ WITH ICE **SCRAPER**

18833

Super wide 16+ inch "Push-Pull" foam head.



SLIMLINE 24

523

24" long. Ideal for clearing snow from all vehicles.



VALUE REACH SWEEP™

203

25" long wooden snowbrush provides efficient snow removal.



SAFETY

ALUMINUM EMERGENCY SHOVEL

17222C

- Compact design for easy storage.
- Two in one handle design allows shovel to be used as a scoop.
- Extends to 30" for longer reach.

TRAILBLAZER ELECTRONIC DEER ALERT 27512VA

Powerful electronic signal is 10X safer than traditional deer whistles.





PROFESSIONAL AUTOMOTIVE SQUEEGEES



PROFESSIONAL AUTOMOTIVE SQUEEGEE

12-810NY

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting



PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
 10NY-24A - hardwood handle
 10NYRD-26A - plastic handle



PROFESSIONAL SQUEEGEE HANDLES

- Threaded strong hardwood construction
- Fits all Hopkins professional automotive squeegee heads

111U - 20" 112U - 30"

HEAVY DUTY FLOOR SQUEEGEES



840-24/30/36 General Purpose



841-24/30/36 Oil Resistant



843-24/30/36 General Purpose



844-24/30/36 Oil Resistant



116

Heavy Duty 54" Floor Squeegee Handle

845-24

24" wide dual foam blade

846-30

Heavy duty 30" wide dual foam blade

AUTOMOTIVE CLEANING TOOLS



92022SCBL

8" Wash Brush extends to 40"



93053CBL

8" Wash Brush with 48" Handle



45320CBL

Microfiber 2in1 Wash Mitt



40208CBL

Evaporator Drying Towel



40211CBL Synthetic Chamois



40061CBL Microfiber Drying Towels



40059ASCBL Supreme Drying Towel



45606ASCBL Soft Touch Detailing Towel






H. Paulin & Co., a division of The Hillman Group Canada ULC

HANDY PAK MERCHANDISERS



MERCHANDISER NO. 022-065



PLATED CAP SCREWS and NUT MERCHANDISER NO. 022-064



PIC A PACS
SPINNER DISPLAYS



022-158



THORO-FLUSH

- Opens & cleans out plugged heater Cores
- Clears out gelled Dex-Cool with a simple flush.
- · Cleans cooling system in a single flush.
- Fuel Tank Cleaner. Use before installing a new fuel pump to prevent premature pump failure and warranty claims.
- Removes ethanol/bio fuel build up rust scale oils and other sludge from fuel tank.
- Safe for use on cast iron, aluminum, brass and plastic.
- Professionally recommended for over 60 years.

- Nettoie Tous Les Systêmes De Refroidissement
- Les Faisceaux De Chaufferette, Le Liquide De Refroidissement Dex-Cool, Les Refroidisseurs Pour Diêsel, Les Rêsidus De Biocarburan Et D'êthanol Des Rêservoirs De Carburant
- Peut être utilisé en toute sécurité pour les radiateurs, les systêmes de refroidissement et les réservoirs de carburant en mêtal et en plastique

PART NO.	DESCRIPTION	CASE PACK
9112-16	Industrial Strength Radiator & Engine Cleaner, 16 oz.	12

ALL WEATHER SEAL

- It blends with your existing Anti-freeze forming a microemulsion
- It only works where the leak is. No fear of plugging heater cores, etc.
- It can be used as a preventative to keep vehicles in service
- It works FAST! Within 10 min. of reaching operating temperature your leak will stop
- It works regardless of what material the leak is in. Rubber, Iron, Aluminum, Plastic, etc.,
- It is compatible with all the different kinds of anti-freeze products on the market today.
 Even the waterless anti-freeze and extended life versions
- ARRÊTE Les Fuites De Liquide De Refroidissement
- Radiateur, joint de culasse, culasse de cylindre et bloc moteur. Moteurs à essence ou diésel.
- Formule PRÊTE A VERSER commode!
- Se melange a TOUT antigel pour arreter les fuites actuelles et futures.

PART NO.	DESCRIPTION	CASE PACK
9132-16	Head Gasket & Radiator Sealant, 16 oz.	12

CERAMIC MOTOR SEAL

- Permanently seal leaking head gaskets.
- Seals cracked heads and blocks in aluminum or cast iron.
- Coats the engine and prevents formation of rust and salt water corrosion.
- · Seals porous castings in the cooling system.
- · Stops coolants leaks.
- · Promotes heat dissipation for added power.
- *Add to Radiator Only After Removing Anti-Freeze.
- SCELLE les systémes De Refroidissement Du Moteur
- Fissures dans les culasses de cylindre, les blocs-moteurs, joints et les radiateurs qui fuient.
- Processus en trois étapes. Méianger avec de l'eau propre seulement.
- NE PAS mélanger avec de l'antigel.

PART NO.	DESCRIPTION	CASE PACK
9122-16	Ceramic Cooling System Sealer, 16 oz.	12









Blending & Packaging



Q.A.P ATF DEX/MERC

ORDER CODES: FX0000415 12X946ml
FX0000450 205L Drum

Q.A.P DEX/MERC ATF is a premium product specially formulated for use in automatic transmissions manufactured in 2005 and earlier. General Motors, Ford and Chrysler vehicles requiring Dexron, II, III (GM) and Mercon® (Ford) fluid.



Q.A.P DEXRON® VI ATF

ORDER CODES: *FX0001715 12X946ml*

FX0001745 60L Keg FX0001750 205L Drum

Q.A.P DEXRON• **VI ATF** is a premium synthetic transmission fluid designed to provide unparalleled performance in automatic transmissions in vehicles manufactured by General Motors. Enhanced resistance to oxidation, shear and viscosity stability prevents the formation of deposits for up to twice the service life of previous generation DEXRON• IIIH.



Q.A.P MULTI VEHICLE ATF

ORDER CODES: FX0001815 12X946ml

FX0001845 60L Keg FX0001850 205L Drum

Q.A.P MULTI VEHICLE ATF is a premium multi vehicle transmission fluid designed to provide unparalleled severe duty operating performance in automatic transmissions. It has enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission due to high temperature instability.



Q.A.P GEAR OILS

ORDER CODES: FX0000715 12X946ml FX0000750 205L Drum

Q.A.P GEAR OILS are extreme pressure (EP) automotive gear lubricants made from high quality, high viscosity base oils. Their special additives make them effective at providing high load-carrying protection with outstanding rust, corrosion and foam prevention. They offer a high level of protection in extreme wet and dirty environments. For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment.



BESTBUY PRO HYDRAULIC

ORDER CODES: 22 FX0003540 18.9L Pail

32 FX0003640 18.9L Pail 46 FX0003740 18.9L Pail 68 FX0003840 18.9L Pail

BESTBUY PRO HYDRAULIC is a product designed for various hydraulic systems. This oil is formulated to offer a wide operating temperature range and designed for use in colder temperatures. **BESTBUY PRO HYDRAULIC** is not recommended for use with pumps that contain silver-plated parts.





Q.A.P PREMIUN	I MOTOR OILS		
ORDER CODES:	5W-20	FX0004115	12X946mL
	5W-20	FX0004130	4x5L
	5W-20	FX0004150	205L Drum
	5W-30	FX0004215	12X946mL
	5W-30	FX0004230	4x5L
	5W-30	FX0004250	205L Drum
	10W-30	FX0004315	12X946mL
	10W-30	FX0004330	4X5L
	10W-30	FX0004350	205L Drum

Q.A.P PREMIUM MOTOR OILS are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufactures requiring an API SP or ILSAC GF-6 product*.



Q.A.P PREMIUM SYNTHETIC MOTOR OILS

•			
ORDER CODES:	0W-16	FX0004806	6X946mL
	0W-16	FX0004830	4x5L
	0W-20 (dexos®)	FX0004606	6X946mL
	0W-20 (dexos®)	FX0004630	4X5L
	0W-20 (dexos®)	FX0004645	60L Keg
	0W-20 (dexos®)	FX0004650	205L Drum
	5W-20	FX0004506	6X946mL
	5W-20	FX0004530	4X5L
	5W-20	FX0004545	60L Keg
	5W-20	FX0004550	205L Drum
	5W-30 (dexos®)	FX0004706	6X946mL
	5W-30 (dexos®)	FX0004730	4X5L
	5W-30 (dexos®)	FX0004745	60L Keg
	5W-30 (dexos®)	FX0004750	205L Drum
	10W-30	FX0004406	6X946mL
	10W-30	FX0004450	205L Drum
	European 5W-40	FX0001606	6X946mL
	European 5W-40	FX0001645	60L Keg
	European 5W-40	FX0001650	205L Drum

Q.A.P 100% SYNTHETIC MOTOR OILS are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SP or ILSAC GF-6 product*. For those vehicles requiring a dexos1™ Gen 2 formulation to be in compliance with GM OEM recommendations our Q.A.P 100% SYNTHETIC OW-20 and 5W-30 grades are fully certified and registered.

Q.A.P 100% SYNTHETIC 5W-40 is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA).

^{*} Products are backwards compatible to earlier API performance levels (except for Q.A.P. 100% Synthetic 0W-16)



Blending & Packaging





BESTBUY PRO CK-4 PREMIUM DIESEL OIL

DESTRUIT FRO C	K-4 FILLIVIIOIVI DILJEL OIL		
ORDER CODES:	10W-30 CK-4 Syn Blend	FX0003215	12X946mL
	10W-30 CK-4 Syn Blend	FX0003230	4X5L
	10W-30 CK-4 Syn Blend	FX0003240	18.9L Pail
	10W-30 CK-4 Syn Blend	FX0003250	205L
	15W-40 CK-4	FX0003415	12X946mL
	15W-40 CK-4	FX0003430	4X5L
	15W-40 CK-4	FX0003440	18.9L Pail
	15W-40 CK-4	FX0003450	205L Drum

 5W-40 Full Synthetic
 FX0004030
 4X5L

 5W-40 Full Synthetic
 FX0004040
 18.9L Pail

 5W-40 Full Synthetic
 FX0004050
 205L Drum

BESTBUY PRO CK-4 next generation oils are formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. This oil was designed to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, enhanced oxidation resistance and enhanced drain intervals with regular used oil analysis. **BESTBUY PRO CK-4** is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented.



ORDER CODES: 10W-30 FA-4 Syn Blend FX0003330 4X5L 10W-30 FA-4 Syn Blend FX0003340 18.9L Pail

BESTBUY PRO FA-4 represents the latest technology and advancements in heavy duty diesel engine oils. **BESTBUY PRO FA-4 10W-30 Syn Blend** oil helps deliver up to a 1.2% increase in fuel economy when compared to 15W-40 oils with no compromise to engine durability. Increased oxidation reduction, wear control, viscosity retention, oil economy and extended drain intervals with regular used oil analysis, are just a few of the benefits you will experience **BESTBUY PRO FA-4 10W-30 Syn Blend**.



ORDER CODES: FX0002910 9.46L Single Carton
FX0002950 208L Drum

Q.A.P DEF is a 32.5% aqueous Urea Solution, AUS 32, a manufactured product of technically pure urea mixed with Demin quality water designed to meet the specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies.

Q.A.P HD MULTI PURPOSE GREASE ORDER CODES:

Q.A.P HEAVY DUTY MULTI-PURPOSE GREASE is capable high-performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints. It is an ideal solution to reduce the need for multiple products and reduce the risk of misapplication. Lithium complex thickener combined with high quality base oils and additive package giving it excellent mechanical stability and good resistance to water. The grease gives top-level protection from extreme pressure (EP) load wear.

FXG0000111

FXG0000211

14ozX30 tubes per case

14ozX30 tubes per case

Q.A.P MULTI PURPOSE GREASE ORDER CODES:

Q.A.P MU LTI-PURPOSE LITHIUM GREASE is capable high-quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings. Excellent shear stability over a broad temperature range and has a strong resistance to spin off and water resistance means it maintains protection.









Blending & Packagine

Code Guide

Description

Cobra Quick Reference

FBB0008840	Cobra ATF, 18.9L	Automatic transmission fluid designed to satisfy GM & Ford specs pre 2005
FBB0009840	Cobra DIFF 80W-90, 18.9L	Cobra DIFF 80W-90 is recommended for most auto differentials as well as transmissions where the manufacturer specifies API MT-1. Always consult your owner's manual when choosing a compatible lubricant.
FBB0008440	Cobra UTF, 18.9L	Cobra UTF (Universal Tractor Fluid) is a multi-application lubricant used to lubricate the moving parts of off-highway mobile equipment. These fluids are used to lubricate the transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment that have a common fluid reservoir calling for a combination lubricant and power transmission fluid. • Cost effective performance • Excellent field performance in a variety of tractors and equipment • Superior final drive performance • Excellent cleanliness • Superior pump wear & abrasion protection • Enhanced friction durability
FBB0010926	Cobra Heavy Chain Oil, 4X3.78L	Cobra CHAIN Light and Heavy oils are designed especially for heavy-duty chain-saw use. Cobra CHAIN Light and Heavy are available in summer and winter grades. All grades are extremely tacky, which helps the oil resist drippage and throw-off, especially
FBB0011226	Cobra Light Chain Oil, 4X3.78L	from high-speed chains. Cobra CHAIN Light and Heavy grades are dyed red to help chain-saw operators identify when the chain has enough lubrication.

You should always consult your Owner's Manual when selecting any lubricant product.



IRWIN TOOLS IN THE WAREHOUSE

Vise-Grip® **Locking Tools**

Description No.



Fast Release™ Curved Jaw Locking Pliers

IRHT82573 10" Reduced Hand Span

IRHT82574 5" IRHT82575

7"

Vise-Grip® **Locking Tools (Cont'd)**

Description



Fast Release™ Curved Jaw Locking Pliers with Wire Cutters

IRHT82578 10" Reduced Hand Span

IRHT82580 7" 5" IRHT82581

Vise-Grip® **Locking Tools (Cont'd)**

Description No.



Fast Release™ Locking C-Clamps with Regular Tips

IRHT82584 11" Reduced Hand Span

IRHT82585



Curved Jaw Locking Pliers

4935576 10" Curved Jaw Locking Plier 7" Curved Jaw Locking Plier 4935578 4935579 5" Curved Jaw Locking Plier 10" Curved Jaw Locking Plier 502L3



Fast Release™ Straight Jaw Locking

IRHT82576 10" Reduced Hand Span

IRHT82577



Straight Jaw Locking Pliers

102L3 10" Straight Jaw Locking Plier 302L3 7" Straight Jaw Locking Plier

> **For Complete Category Availability Consult the IRWIN® Tools Catalog**



Curved Jaw Locking Pliers with Wire Cutter

702L3 7" Curved Jaw Locking Pliers

with wire cutter

902L3 5" Locking Pliers with wire cutter

4" Curved Jaw Locking Plier 1002L3 with wire cutter

Fast Release™ Long Nose Locking Pliers

9" IRHT82582 6" IRHT82583



Long Nose Locking Pliers

1402L3 6" Long Nose Locking Plier 9" Long Nose Locking Plier 1502L3 1602L3 4" Long Nose Locking Plier



Locking C-Clamps with Regular Tips

6" Locking C-Clamp with 17 regular tips

19 11" Locking C-Clamp with regular tips

18" Locking C-Clamp with 21 regular tips



Locking C-Clamps with Swivel Pads

6" Locking C-Clamp with swivel pads

20 11" Locking C-Clamp with swivel pads

18" Locking C-Clamps with 22 swivel pads

24" Locking C-Clamp with 28 swivel pads

31 9" Locking C-Clamp with

swivel pads



Vise-Grip® Locking Tools (Cont'd)

No. Description



Locking Wrenches

2 10" Locking Wrench (10LW) 4 7" Locking Wrench (7LW) 8 4" Locking Wrench (4LW)







Speciality Tools

12L3
12" Large Jaw Locking Plier
23
8" Locking Sheet Metal Tool
27ZR
9" Locking Chain Clamp Plier
7" Locking Pinch-off Tool
40EXT
40EXT
40REP
18" Replacement Chain for 20R



Locking Tool Sets

37 2 Piece Locking Pliers Set
74 5 Piece Original Locking Pliers

IRHT82591 3 Piece Fast Release Locking

Plier Set

248 3 Piece Locking Wrench Set

and Clamps T-Shirt Set

IRHT82593 5 Piece Fast Release

Locking Plier Set

4935580 3 Piece Original Locking Plier Set

For Complete Category Availability Consult the IRWIN® Tools Catalog

Vise-Grip® Tools (Cont'd)

No. Description



Replacement Springs

40-08 Replacement Spring40-92 Replacement Spring



GrooveLock Pliers

Description 2078112 12" V Jaw GrooveLock Pliers 2078120 20" V Jaw GrooveLock Pliers 4935351 6" V Jaw GrooveLock Pliers 1775418 4 Piece GrooveLock Plier Set 2078108 8" V Jaw GrooveLock Pliers 10" V Jaw GrooveLock Pliers 2078110 3 Piece GrooveLock Plier Set 2078711 2078116 16" V Jaw GrooveLock Plier 2078712 8 Piece GrooveLock Plier Set



Pipe Wrenches

No. Description
274103 18" Cast Iron Pipe Wrench
274104 24" Cast Iron Pipe Wrench
2074110 10" Cast Iron Pipe Wrench
274001SM 11" Quick Adjusting Wrench

Pliers

No. Description



Lineman's Pliers

2078209 North American Lineman's Plier



Long Nose Locking Pliers

2078216 6" Long Nose Pliers 2078218 8" Long Nose Plier

Vise-Grip® Tools (Cont'd)

No. Description



Long Bent Nose Pliers

2078228 6" Long Bent Nose Pliers 2078228 8" Long Bent Nose Pliers



Groove Joint V-Jaw Pliers

2078510 10" Groove Joint V-Jaw Pliers 2078512 12" Groove Joint V-Jaw Pliers



Diagonal Cutting Pliers

2078307 7" Diagonal Cutting Pliers 2078308 8" Diagonal Cutting Plier



Miscellaneous Pliers

2078309 8" Multi-Tool

2078300 8" Self Adjusting Wire Strippers



Plier Set

2078714 8 Piece Mini Pliers Set

IRWIN®



Utility Knives & Blades

fe
ole

Utility Knife



LENOX VARI-BIT® STEP DRILL BITS

	HOLE SIZES			SHANI	K SIZE
PART#	IN	ММ	# of Hole Sizes	IN	MM
30912VB12	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	22.2, 28.6, 31.0, 31.8, 34.9	5	3/8	9.5
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4	9	3/8	9.5
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)	2	3/8	9.5
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16,	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5,			
	5/8, 11/16, 3/4, 13/16, 7/8	19.1, 20.6, 22.2	12	3/8	9.5
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1	9	3/8	9.5











30912VB12

30888VB11

30908VB8 30883VB3

LENOX HOLE SAW KITS & ACCESSORIES



LENOX Contractor's BIG DADDY™ SPEED SLOT® Hole Saw Kit, 26 Piece 308042000G



LENOX Electrician's SPEED SLOT® Hole Saw Kit, 17 Piece 308021200L



LENOX Standard Hole Saw Arbors 1779801 2L T2 3.25 drill

LENOX RECIPROCATING SAW BLADES



LENOX Wood Bi-Metal Reciprocating Saw Blades 20582956R - 5/pk 20558B956R - 25/pk 20585156R - 5/pk 227520SB956R - 50/pk

LENOX General Purpose Bi-Metal Reciprocating Saw Blades Long Lasting, Fast Cutting and Versatile 20580810R - 5/pk 227580SB110R - 50/pk



LENOX Metal Cutting
Reciprocating Saw Blades
20487B818R - 25/pk
227510SB618R - 50/pk
20566618R - 5/pk
20529B618R - 25/pk
20578818R - 5/pk
227540SB818R - 50/pk







IT≡KT WINDSHIELD

965089

LIQUID GLASS nano ceramic coating for windshield. Protects and increases visibility.

Kit includes:

1 cleaner 12ml

1 protector 12ml

2 cloths

1 microfiber cloth

- Water repellent
- Repels dirt
- 20% superior shatter, scratch resistance
- No side-effects
- Efficient for 6 months to 1 year
- Significantly reduces washer fluid consumption
- Extends life of wiper blades









J-B Weld 8265SCAN World's finest coldweld compound.



J-B KwikWeld Professional Size 8271CAN Blister Quick-setting Cold-Weld™ Epoxy 10oz./ea



MarineWeld 8272CAN Two-part epoxy cold weld system specially formulated for marine applications.



J-B Weld Pro
8281CAN
Blister
10oz./ea
The Original J-B Weld
two-part epoxy cold weld
system in a
10 oz. pro size



SteelStik™ - 2 oz. 8267CAN Steel Reinforced Epoxy Putty Great for patching and repairing automotive and machine parts, plumbing, stripped threads and household repairs



WaterWeld Specialty Epoxy Putty 8277CAN Great for repairing plumbing, fuel tanks, tubs, showers, drains, boats and portable water tanks



J-B KwikWeld 8276CAN Quick setting steel reinforced epoxy



PlasticWeld Epoxy Putty Stick 8237CAN



Permanent Repair Cast 38236CAN 2x36"



Pipe Repair Cast 38248CAN 2x48"



FiberFix™
38501CAN
Heat Wrap 2" Single
Creates a hard-as-steel
structural repair for
tailpipes, mufflers, &t
other high-temperature
applications.



High Heat Epoxy Putty – 2 oz. 8297CAN



J-B Plastic Weld™
50132CAN - 25ml
Two-part adhesive and epoxy
filler system that provides for
strong, lasting repairs



J-B Clear Weld™ 50112CAN - 25ml 50114CAN - 14ml Quick setting clear epoxy



J-B Plastic Bonder™ 50133CAN - Tan 50139CAN - Black High strength structural adhesive





JB Original Syringe 50165CAN 25ml Our strongest epoxy-5020 PSI for a strong, permanent bond



Syringe White 25ml 50172CAN Great for boats, personal watercraft, deck and hull accessories and more

MarineWeld Epoxy



J-B KwikWeld™ 50176CAN Quick setting steel reinforced epoxy



Clear Silicone
Sealant & Adhesive, General purpose
31310CAN - 85g
Sets in 1 hour and will not shrink or crack



Hi-Temp Red Silicone 31314CAN - 85g Great for oil pans, valve covers, exhaust manifolds, differential covers and more



Blue Silicone
31316CAN - 85g
Sensor safe RTV
silicone gasketing
material designed for
use in mechanical
assemblies



Black Silicone
31319CAN
General purpose
black RTV silicone
designed for
sealing and
bonding uneven
surfaces



Ultimate Grey 32327CAN Ultimate Black 32329CAN

Sets in 1 hour and will not shrink or crack



Professional Size 50240CAN 80z Crystal clear epoxy sets in 5 minutes and cures in 1 hour

ClearWeld



Perma-Lock Threadlockers Medium Strength Blue

24206CAN -6ml

24236CAN -36ml



Perma-Lock Threadlockers High Strength Red 27106CAN -6ml

27136CAN -36ml



SuperWeld 33106CAN Brushable, 6g

33120CAN - 20g



J-B ExtremeHeat™
37901CAN
Organic repair paste
able to withstand
extreme heat up to
1000°F

Brands you trust for the work you do


Wiping, washroom and safety solutions



WypAll® Disposable Wipers provide the same great quality you've come to expect from Krew™ Brand:

If currently buying this Krew™ Product			
	Krew™ SKU	Description	
	33845	Krew [™] 200 General Purpose Towels, 3 Center-Pull Rolls/500 sheets each	
TEN 20	33920	Krew [™] 300 General Purpose Towels, 1 Brag [™] Box/176 sheets	
Es.	33036	Krew [™] 400 Oil & Grease Shop Towels, 12 Quarterfold Packs/56 sheets each	
3	33046	Krew [™] 400 Oil & Grease Shop Towels, 4 Center-Pull Rolls/200 sheets each	
1	33878	Krew [™] 500 Heavy Duty Shop Towels, 3 Center-Pull Rolls/275 sheets each	
TOLER CO.	33933	Krew [™] 500 Heavy Duty Shop Towels, 1 Brag [™] Box/180 sheets	
TO SECURE	33889	Krew [™] 600 Low Lint Shop Towels, 3 Center-Pull Rolls/225 sheets each	
VOEN SOO	33944	Krew [™] 600 Low Lint Shop Towels, 1 Brag [™] Box/180 sheets	

Switch to this WypAll® Product*			
	Replacement WypAll® SKU	Description	
	47758	WypAll® L20 Limited Use Towels, 3 Center-Pull Rolls/550 sheets each	
Timber &	34607	WypAll® L20 Limited Use Towels, 1 Brag™ Box/176 sheets each	
a / Sunta	05701	WypAll® L40 Disposable Cleaning & Drying Towels, 18 Quarterfold Packs/56 sheets each	
-07	05796	WypAll® L40 Disposable Cleaning & Drying Towels, 2 Center-Pull Rolls/200 sheets each	
-67	41702	WypAll® X70 Extended Use Reusable Cloths, 3 Center-Pull Rolls/275 sheets each	
	55300	WypAll® X70 Extended Use Reusable Cloths, 1 Brag™ Box/200 sheets each	
33201	33241	WypAll® Oil & Grease Cloths, 1 Jumbo Roll/717 sheets	
unu <u>b)</u>	33352	WypAll® Oil & Grease Cloths, 1 Brag™ Box/180 sheets	















How to exceed hygiene expectations in the 'new normal'

Single-use towels offer the most effective and most hygienic hand washing solution compared to jet air dryers.

Towels are hygienic:

77%↓

Paper towels are critical to proper hand hygiene, as they can remove up to **77% of the bacteria** that remains on hands after washing.



Jet air dryers blow water droplets containing bacteria from the hands as far as 6.5 feet and linger in the air for up to 15 minutes.



The inner surfaces of a jet air dryer can harbor **48 times more bacteria** than found on a toilet seat.



Jet air dryers can actually increase bacteria by **42% on users' fingers** during the drying process.

Hard Roll Towel Systems

Code	Description	Ply	Size (WxL)	Qty/Unit	Units/Case	Oty/Case	Fits Dispenser
01000	Scott® Essential High Capacity Hard Roll Towels, 1.5" core	1	8.0" x 1,000'	1,000′	12 rolls	12,000′	09990
02000	Scott® Essential High Capacity Hard Roll Towels, 1.75″ core	1	8.0" x 950'	950′	6 rolls	5,700′	09996
50606	Scott® Essential Plus* Hard Roll Towels, 1.75" core	1	8.0" x 600'	600′	6 rolls	3,600′	48857

Bathroom Tissue Systems

Code	Description	Ply	Size (WxL)	Qty/Unit	Units/Case	Qty/Case	Fits Dispenser
07805	Scott® Essential Jumbo Roll Tissue, 3.25" core	2	3.55" x 1,000'	1,000′	12 rolls	12,000′	09507
48040	Scott® Essential SRB Tissue, 1.58" core	2	4.1" x 4.0"	550 sts.	40 rolls	22,000 sts.	09021
17713	Cottonelle® SRB Tissue, 1.6" core	2	4.09" x 4.0"	451 sts.	60 rolls	27,060 sts.	09021

Skin Care Systems

Code	Description	Fragrance	Delivery Format	Size	Oty/Case	Fits Dispenser
91565	Scott® Essential Green Certified Foam Skin Cleanser	Unscented	Manual Cassette	1.0 L	6	92145
91591	Scott® Essential Green Certified Foam Skin Cleanser	Unscented	Electronic Cassette	1.2 L	2	92148

Kleenex® Facial Tissue

	Code	Description	Ply	Size (WxL)	Qty/Unit	Units/Case	Oty/Case
8	21400	Kleenex® Facial Tissue, flat box	2	8.3" x 7.8"	100 sts.	36 bxs.	3,600 sts.

®/Im Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques de commerce de Kimberly-Clark Worldwide, Inc. ou de ses sociétés affiliées. © KCWW. T0N4LW 10/20







Total Coolant Leak Repair

Why trade users can't get enough of K-Seal® Permanent Coolant Leak Repair #ST9501

A repair made
with K-Seal®
is permanent,
guaranteed to last
for the life of
the engine.

K-Seal® mixes with all types of antifreeze/coolant – no need to drain or flush the system before or after treatment. Unlike other products it doesn't matter whether you have antifreeze in the cooling system or just water.

K-Seal® is easy to use. Shake the bottle, add it to the cooling system and go. It's the ultimate one step repair.

K-Seal

MULTI-PURPOSE, ONE STEP, PERMANENT COOLANT LEAK REPAIR OMIXES WITH ALL TYPES OF ANTIFREEZE

COLMATER DE FUITES

EN UNE ÉTAPE, PERMANENT ET
POLYVALENT POUR LE SYSTÈME DE
REFROIDISSEMENT.
SE MÊLE À TOUS LES

JUST SHAKE, POUR & GO! AGITEZ, VERSEZ ET PARTEZ!

TYPES D'ANTIGELS

ONE BOTTLE EFFECTIVE UP TO 12 CYLINDERS/ UNE BOUTEILLE SUFFIT POUR JUSQU'A 12 CYLINDERS HEAD GASKET/ JOINT DE CULASSE

CYLINDER HEAD/ CULASSE

ENGINE BLOCK/ BLOC MOTEUR

> RADIATOR/ RADIATEUR

HEATER CORE/ RADIATEUR DE CHAUFFERETTE

WATER PUMP CASING/ BOÎTIER DE POMPE À EAU

FREEZE PLUG/ BOUCHONS EXTENSIBLE

16oz 472ml

K-Seal® is suitable for use with all water cooled engines including bikes, cars, trucks, agricultural, construction, even marine engines.

Heavy duty vehicles use K-Seal HD.

K-Seal® repairs most leaks in the head, headgasket, radiator, heater core, freeze plugs water pump casing, cylinder heads, engine blocks.

Specially Formulated for Canada





Don't just seal it, K-Seal it!™





REAR DISC BRAKE ADJUSTER 28600

Rotates piston back into the caliper when replacing pads.



FILTER WRENCH

63500

For Filters Up to 6" (152.4mm). Adjusts quickly to fit any spinon oil filter up to 6" diameter. Use with 1/2" drive or 3/4" wrench. Strong nylon belt.



100 RAZOR BLADE SET

52150

Convenient Pack of Standard Razor Blades.

Contains 100 carbon steel, single edged razor blades.



DELUXE FEELER GAUGE

68100

31 Blades. 1 Brass Blade .010". Precision blades ensure accurate measurements. Blades from .0015" to .035" (.038 - .889mm) thickness are approximately 1/2" wide by 3 1/2" long.



OXYGEN SENSOR SOCKET

12100

Removes and Installs Oxygen Sensors on Most Domestic and Some Imports.



BATTERY BRUSH

11120

Cleans dirt and corrosion from battery terminals and cable clamps.



65MM/14 FLUTE END CAP FW

61600

The new heavy duty design for the 65mm diameter 14 flutes oil filter canisters has been improved by adding heat-treated metal disc to the drive area and adding two solid welds to the surface to increase strength.



AIR CONDITIONING / FUEL LINE DISCONNECT TOOL SET 37000

Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8".



HEAVY-DUTY TEST LIGHT 28400

Quickly Tests Low Voltage up to 12 Volts.



SMALL FILTER WRENCH

53700

Handle Swivels to Clear Obstructions. Range 2 7/8" to 3 1/4" (73 - 82.5mm).





LOCTITE 4060 GREY STRUCTURAL INSTANT ADHESIVE HYBRID 2267079 - 25q

Structural adhesive with fast set time of an instant adhesive. Colour changes to indicate proper mix. Bonds metals, most plastics, rubber and wood. High gap fill. Excellent resistance to oil, fuel and ethanol.

Typical Applications: Interior trim pieces, underhood part repairs, custom fabrication

LOCTITE 4070 STRUCTURAL INSTANT ADHESIVE HYBRID

2264448 - 10 ml Boxed kit with 3 Nozzles

The essential repair adhesive. Solves virtually any repair challenge when time is limited. Rapidly bond a variety of damaged vehicle components. High strength and impact resistance. Makes fast and easy repairs to many materials.

Typical Applications: Interior trim pieces, consoles, dash components, molded bumpers, trim repair, custom fabrication



LOCTITE LB 8008 C5-A ANTI-SEIZE LUBRICANT - COPPER

38605 - 8oz. Brush-Top Can 38604 - 1lb. Brush-Top Can High temperature resistant anti-seize and thread lubricant. Prevents seizing, galling and corrosion. Provides good electrical conductivity.



LOCTITE LB 8150 ANTI-SEIZE LUBRICANT - SILVER

38619 - 8oz. Brush-Top Can 38620 - 1lb. Brush-Top Can Prevents seizing, galling and corrosion. For use in assemblies up to 1600°F (871°C).



LOCTITE LB 8023 MARINE GRADE ANTI-SEIZE

34395 - 8oz. Brush-Top Can Highly resistant to fresh and salt water wash out - under car applications. Extreme temperature & humidity resistance. Metal free, prevents galvanic corrosion.



LOCTITE EA 445 EPOXY MIXER CUPS

37513 - Canister
10 pk of 4g Mixer Cups
Pre-measured epoxy in cups, bonds
most materials. Excellent chemical
resistance. Bonds in 5 - 15 minutes.
Sandable & paintable.



LOCTITE LEATHER & VINYL REPAIR KIT

2445836 – 1.25 fl. oz. Carded Kit Allows colour matched repairs for mending holes, rips & burns. Cures in 30 minutes.



LOCTITE WINDSHIELD REPAIR KIT

37613 - 0.17 fl.oz. (5 ml) Carded Kit Easy to use & makes virtually undetectable repairs. 1-part, no-mix repair adhesive.

LOCTIF



LOCTITE BLUE THREADLOCKER STICK - MEDIUM STRENGTH

37643 - 9g Carded Tube 37614 - 19g Carded Bottle Non-drip portable stick threadlocker, removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



LOCTITE RED THREADLOCKER STICK - HIGH STRENGTH

37701 - 9g Carded Tube 37700 - 19g Carded Bottle Non-drip portable stick high-strength threadlocker. Locks & seals up to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



LOCTITE 242 THREADLOCKER - MEDIUM STRENGTH

38621 - 6ml Carded Tube 38622 - 36ml Carded Bottle Blue liquid threadlocker. Removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Prevents loosening due to vibration.



LOCTITE 243 THREADLOCKER - SURFACE INSENSITIVE

1330902 - 6ml Carded Tube 1330906 - 36ml Carded Bottle Low drip, blue liquid threadlocker. Primerless for multi-metal or coated fasteners. Locks & seals 1/4" to 3/4" bolts. Removable with hand tools.



LOCTITE 262 THREADLOCKER - HIGH STRENGTH

38637 - 6ml Carded Tube 38647 - 36ml Carded Bottle Red liquid threadlocker. High strength, withstands shock & vibration. Locks & seals up to 3/4" fasteners.



LOCTITE 263 THREADLOCKER -HIGH STRENGTH SURFACE INSENSITIVE

2203451 - 6ml Carded Tube
2205310 - 36ml Carded Bottle
Low drip, red liquid threadlocker.
Primerless for multi-metal or coated
fasteners. Resists shock & vibration.
Locks & seals up to 1" bolts.



LOCTITE 620 BEARING MOUNT - HIGH TEMPERATURE

38626 - 36ml Carded Bottle Green, high-strength retaining for press or slip-fit parts. Pins, bushings, bearings. 450°F temperature resistance. New or worn parts.



LOCTITE 277 THREADLOCKER - HEAVY DUTY/LARGE BOLTS

38627 - 36ml Carded Bottle Red liquid threadlocker. Resists extreme shock & vibration. Locks & seals fasteners over 1".





LOCTITE 565 THREAD SEALANT -HIGH PERFORMANCE

38635 - 50ml Carded Tube Locks & seals threaded metal pipe fittings. Controlled strength. Nonshrinking & fast cure. Resists common fluids, fuel, coolant, oils.



LOCTITE SI 595 RTV CLEAR SILICONE

38617 - 80ml Carded Tube 38618 - 300ml Cartridge Clear, multi-use adhesive sealant. Creates a tough, highly flexible silicone rubber seal. Waterproof.



LOCTITE 592 THREAD SEALANT -**HIGH TEMPERATURE**

38613 - 50ml Carded Tube Locks & seals threaded metal pipe fittings. 400°F temperature resistance. Parts may be repositioned up to 24 hours after assembly. Resists common fluids, fuel, coolant, oils.



LOCTITE 515 GASKET MAKER -**ANAEROBIC**

38625 - 50ml Carded Tube Flexible gasket maker for use on rigid metal flanges with less than 0.015" gap. Flexes with flanges that move in service. Replaces pre-cut gaskets.



LOCTITE HIGH FLEX FORM-IN-PLACE **GASKET - ANAEROBIC**

38628 - 50ml Carded Tube Blue gasket maker with added flexibility for flange movement. Replaces gaskets on rigid metal flanges with less than 0.010" gap.



LOCTITE 518 GASKET MAKER -**ANAEROBIC**

2096058 - 50ml Carded Tube Gasket maker for rigid aluminum and metal flanges. Fills gaps up to 0.050". Replaces pre-cut gaskets.



LOCTITE SI 5900 READY GASKET -**GASKET MAKER**

1093354 - 5oz cartridge 40480 - 190ml aerosol 2207527 - 300ml Cartridge Elastomeric rubber sealant makes leakproof gaskets in one minute. Immediate return to service. Bonds through oily surfaces. Resists oils & coolant. Sensor safe.



LOCTITE SI 5920 RTV COPPER SILICONE GASKET MAKER - HIGH PERFORMANCE

38639 - 80ml Carded Tube 38640 - 300ml Cartridge Premium gasketing for 4-cylinder, highperformance or turbocharged engines. Operating temperatures to 700°F. Resists oils & coolant. Sensor safe.



LOCTITE SI 598 RTV BLACK SILICONE GASKET MAKER

41241 - 80ml Carded Tube 41240 - 300ml Cartridge Black elastomeric rubber gasketing material. Retains high-flexibility & oil resistance properties. Sensor safe.



LOCTITE LB 8423 DIELECTRIC TUNE-UP GREASE

37535 - 80ml Carded Tube Protects electrical connections from salt, dirt & corrosion. Ideal for spark plug boots, marine & automotive electrical connections, trailer wiring.







HEAVY DUTY OIL STABILIZER 20001 (946ml)



UPPER CYLINDER LUBRICANT 20003 (946ml)



POWER STEERING STOP LEAK 20008 (346ml)



GEAR OIL

75W90 SYN GEAR OIL 20047 (946ml)



OCTANE BOOSTER 20026 (44ml)



15W/40 CK4 MAGNUM DIESEL MOTOR OIL 20287 (3.79L)



SEMI SYN MULTI VEHICLE TRANSMISSION FLUID 20418 (946ml)



Anti Gel Diesel Treatment 20865 (946ml)



RED N TACKY SPRAY GREASE 21025 (311g)





ENGINE OIL STOP LEAK 20278 (946ml)



SYNTHETIC SAE 20W-50 MOTORCYCLE OIL 20702 (946ml)



POWER STEERING FLUID 20823





POWER STEERING FLUIDS WITH CONDITIONERS 20442



DOT 3 BRAKE FLUID 20826



DEEP CLEAN FUEL SYSTEM CLEANER 20512



SLICK MIST DETAIL KIT 20558



AND THE STATE OF T

COMPLETE ENGINE TREATMENT 20016



SYN HD OIL STABILIZER 20130







RED N TACKY GREASE 20005 (14.5oz tube)



PROFESSIONAL CLEANING PRODUCTS



FS-MH30-RD MOSS Heavy Duty, Oil Resistant Floor Squeegee with Natural Rubber – 30"/75cm - Red



FS-MH30 Floor Squeegee Heavy Duty Moss-30"/76cm - Use FH-W360-1T handle



FS-M22 Floor Squeegee Moss-22"/55cm Use FH-W360-1T handle



FS-C736 Floor Squeegee- Curved - 36"/91cm Use FH-W360-118T



PB-PE24 24"/60 cm Polypropylene/PET Pushbroom Medium Sweep



PB-T18 – 18" / 45 cm PB-T24 – 24" / 60 cm Tampico All Purpose Pushbroom Medium Sweep



PB-G24 – 24" / 60 cm Garage Concrete – Medium to Heavy Duty Sweep



PB-BT24 – 24" / 60 cm Blue Flagged Tip Fiber - Fine Sweep




PB-700-ST16 16" Street Broom with Brace & Handle Assembled



PB-700-GB18 - 18"/45cm PB-700-GB24 - 24"/60cm Ryno Push Broom - Medium Sweep Brace & Handle - Assembled



PB-800-RB18 - 18"/45cm PB-800-RB24 - 24"/60cm Ryno Push Broom - Stiff Sweep Brace & Handle - Assembled



PB-351 Push Broom Brace



BD-1110-M54 10" Scrubbing Brush with Threaded Hole - Plastic Block -Comes with 54" Metal Handle - *Assembled*



BM-4200 Venus - Large Indoor Curved Magnetic Broom with 48" White Metal Handle



BA-3001 16" Large Industrial Angle Broom Including Dust Pan



BA-3000 16" Hercules Large Angle Broom 48" handle



PROFESSIONAL CLEANING PRODUCTS



BV-300F 10" Car/Truck Window Brush – Plastic Block – Green Flagged Fill



BV-420 10" Bi-level Brush - Soft Green Flagged Fill - Soft Surfaces



BC-108
Medium to Heavy Duty Corn Broom
BC-110
Heavy Duty Corn Boom – Medium



BC-107C Heavy-Duty Corn Broom



BT-112 Track/Switch Industrial Broom with Heavy Duty Forged Chisel



BA-3220 12" Vortex Angle Broom with 48" Handle - Long Fiber



BA-9900 Small Angle Broom with Handle **BA-9900-D** w/ Clip On Dust pan



HW-7000F Step-N-Go Mop Fiberglass Handle 60" HW-7001F Step-N-Go Mop Fiberglass Handle 54"



DP-L802Galaxy Combo: Plastic Pan, Angle Broom and Handle



DP-L800-H Galaxy Lobby Dust Pan



DP-H614 Dust Pan, Plastic



BW-1037 Wire Scratch Brush - Long Handle



WA-US20 Urinal Screen with Puck - Lavender



WF-7003 Floor Sign "Caution Wet Floor" – English/French



WS-CS1021 10" Car squeegee with 20" Handle



TS-BT289-12 24 oz Round Bottle with TS5911R Trigger Sprayer 1.5cc / 24 oz





PART #	PRODUCT DESCRIPTION	SPECIFICATIONS /APPROVALS
MOBIL5W20	5W20	API SN, DEXOS 1 + GEN2 , GM6904M,4718M,
		HONDA / ACURA - HTO 06
MOBIL10W30	10W30	API SN, GM649M
MOBILOW20	ADVANCED FUEL ECONOMY 0W20	SN PLUS DEXOS 1+GEN2, GM6094M
MOBIL5W30	5W30	API SN, DEXOS 1 + GEN2 , GM6904M,4718M,
		HONDA / ACURA -HTO 06
MOBILOW40	FS 0W40	MB 229.3,MB229.5, PORSCHE A40, VW 502.00, VW 505.00
125386	ESP X2 0W20	PORSCHE C20, JAGUAR LANDROVER STJLR
		51.5122,MB229.71,VW508.00, 509.00
124715	LV ATF	DEXRON HP ATF J-62120
124322	ADVANCED FULE ECONOMY 0W16	SN PLUS, TOYOTA HYBRID, HONDA HYBRID
122254	TURBO TRUCK DIESEL 5W40	API CJ-4, ECF-3
121280	ESP5W30	API SN,MB229.31,MB229.51, BMWLL04,VW 504.00,
		VW507.00
121218	ESP 0W30	MB229.31,MB229.51,MB229.52, PORSCHE C30, VW504.00,
		VW507.00
105951	EXTENDED PERFORMANCE 5W30	API SJ, DEXOS 1 + GEN2, GM6094M,
		HONDA / ACURA -HTO 06
123036	MOBIL ATF +4 6X1	DEXRON -VI
122897	MOBIL DELVAC 1 ESP 5W40 4/4L	MITSUBISHI & HYUNDAI MS-9602 ATF+,ATF+2,ATF+3
122999	MULTI-VEHICLE ATF SYETHETIC	MULTI PURPOSE ATF
122878	MOBIL DELVAC 1300S 10W30 4/3.7	API CK-4,DETROIT 93K218,MACK EO-0, VOLVO VDS
		4.5,CUMMINS CES 20086, CATERPILLAR ELF-3
102565	MOBIL DELVAC 1240 18LT.	API CF-2/CF/SF, DETROIT SERIES 53,71,92
122095	MOBIL 1 FORMULA FM 5W-40	MERCEDES BENZ MB 229.3 and 229.5
121981	MOBIL GREASE XHP462 MOLY 10/390	EXTENDED MULTI PURPOSE, EXTREME PRESSURE,
		3% MOLY
122986	22986 UNIVIS HVI 13 6 X1LT	PREMIUM EXTENDED COLD AND HOT TEMPERATURE
		RANGE TO -60C, HYDROSTATIC TRANSMISSIONS,
		MOBILE EQUIPMENT









	• • •	
ORIGINAL Stock #	Size	BLACK Stock #
1450	145 g	N/A
3300	333 g	6300 / Summer 2021
3700	3.79 L	6400
4300	18.9 L Pail	6500
4500	208 L Drum	6600 / Summer 2021
5207	237 mL Brush Top Can	N/A



All ORIGINAL Stock numbers above are Canadian Food Inspection Agency Approved (CFIA #N184).

RUST'S WORST ENEMY

Powerful Rust & Corrosion Protection, Excellent Vehicle Undercoating, Superior Lubricant & Long-Term Penetrant. Environmentally Friendlier, Solvent Free and Non-Toxic.

For Many Uses:

Auto · Truck · Farm · Home · Marine · Forestry · Mining · Industrial · RVs · Buses · Trailers Chains · ATVs Aircraft · Military · Salt Trucks · Cable · Battery Terminals · Tools Fertilizer Spreader · Electrical Connectors

The Most Universal Product You Will Ever Use!!



Premium Heavy Duty Tire Sealant

NLS Products Stock #	Size			
95544	946 mL			
95555	3.78 L w/pump			
95566	18.9 L Pail			
95577	18.9 L Pail w/pump			
95588	1 - Pump for 95566			



Extends The Life Of Your Tire!

Runs Tires Approx. 35% Cooler! Maintains Consistent Tire Pressure!

Helps Eliminate Flats! Lasts The Life Of The Tire!

Ideal for Trucks, Farming, Lawn & Landscaping, ATV's, Trailers, Buses, Cars, RVs, Bicycles, Mining, Forestry & Construction Heavy Equipment.

For Air or Nitrogen filled or Tubeless Tires. Provides Better Fuel Economy.

Non-Flammable • Non Explosive

- Permanently seals punctures
- · Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks



Box 790, Bobcaygeon, ON K0M 1A0 · www.nlsproducts.ca · mail@nlsproducts.ca



Heavy Duty • Pure Blend Fast Penetrating Oil

Frees Frozen & Rusted Parts. Environmentally Friendlier.
Canadian Food Inspection Agency Approved (CFIA #N184)
· Solvent Free · Non Hazardous

BreakThru®, Fast Penetrating Oil, is a highly refined oil-based product that infiltrates components quickly. Frees Frozen - Rusted Parts! No Silicone or Teflon. **For Many Uses:**

Bolts · Engine Parts · Hinges · Locks · Bearings · Bicycle & Motorcycle Chains

Chains • Rollers Wheels & Other Moving Parts Aluminum • Chrome • Steel Surfaces • Guns Fishing Equipment • Industrial Machinery Relays, Switches • Tools & Many More.

NLS Products Stock #	Size
C10	370 g







NLS Products Stock #	Size
8312 (Auto)	
8612 (Marine/RV)	90 mL
8812 (Industrial)	

A series of premier adhesives in six popular SKU's (12/case) to cover most of your GLOOING needs. "Gloozit®" is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT". Once cured GLOOZIT® remains flexible, is able to withstand temperature changes as well as the expansion and contraction of dissimilar materials. GLOOZIT® bonds virtually everything. Apply at room temperature.

Recommended ambient & surface temperature of 4°C (40°F) to 32°C (90°F).





Brake Conditioning Treatment
Brake Squeal Treatment for rotors/drums.
No Solvents, Hydrocarbons or Silicones.
OEM Approved!

Prevents rust, oxidation of rotors/drums, stops seizing of lugs nuts & threads.

NLS Products Stock #	Size
9900	255 g

TECH / STEEL

Steel Reinforced Epoxy Putty • Steel Hard in 15 minutes and Full Cure in 1 Hour.

Permanently Adheres To:

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks

HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork

FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment

MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks

HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys

PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

NLS Products Stock #	Size
16002	65 g
6004	130 g






THE RUST STOPS HERE!

Primer & Rust Treatment In One Product.

Rust Destroyer® is a PATENTED primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, alumium, tin and core tan steel. It converts active

rust to a passive form on contact. An absorbing action in the primer film simultaneously raises the rust from the surface and envelops all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.



- Apply directly over rust
- No sand blasting
- No scraping to bare metal
- Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion

NLS Products Stock #	Size	Avg. Cvg.
73013	340 g	15 sq. ft.
73016	236 mL	22 sq. ft.
73005	18.9 L	1500 sq. ft.





X-Treme Tape® (25 mm x 3 m x 20 mils) For Quick Emergency Repairs!

- No Adhesive, Bonds Only to Itself
 Won't Melt Up to +260°C (+500°F)
 Insulates to 8000 Volt
 Stretches to 3x's its Length
- Forms a Permanent Air & Water Tight Seal

NLS Product Stock #		Description
5100	3 m	X-Treme Tape® Automotive - Black
5200	3 m	X-Treme Tape® Marine / RV - White





Coolant Acronyms: Inorganic Acid Technology (IAT) Nitrite Organic Acid Technology (NOAT) Hybrid Organic Acid Technology (HOAT) Organic Acid Technology (OAT)

Auto Fluid Diagnostic Test Strips

AUTOMOTIVE & LIGHT TRUCKS



RADCHEK TEST STRIPS FOR **EXTENDED LIFE** & CONVENTIONAL COOLANTS TESTS: Reserve Alkalinity, pH levels & Glycol (freeze point / boiling point). TESTS: IAT, NOAT, HOAT, OAT

1570 70 STRIPS / BOTTLE



pH BRAKE FLUID TEST STRIPS Synthetic & Conventional DOT 3, 4, & 5.1 **TESTS: Automotive and Heavy Duty** Brake Fluids. Provides reliable results to determine the pH condition of the Brake Fluid. Dip and read in 30 seconds.

80700 70 STRIPS / BOTTLE

FLUID MOISTURE TEST STRIPS FOR 5 OILS - ATF, ENGINE (GAS & DIESEL) OIL, POWER STEERING,
HYDRAULIC, ALL BRAKE FLUIDS,
Synthetic & Conventional DOT 3, 4, & 5.1



 Fluid Diagnostic Test Strips assess the health of the fluid and identifies when a fluid needs to be changed.

Detects moisture content from 0 - 5%.

10 STRIPS / CARD



TESTS FOR COOLANT PRESENCE IN **ENGINE (Gas & Diesel) OIL** & AUTOMATIC TRANSMISSION FLUID

- Highly unique, quick & affordable measure.
- Detects coolant presence from 0 6%.
- # 80900 **50 STRIPS / BOTTLE**

Heavy Duty Fluid Diagnostic Test Strips RED HD ELC COOLANT TEST STRIPS for pH, Glycol & Nitrite. Nitrite 0 - 4000 ppm Nitrite 0 - 4000 ppm



STRIP

STANDARD HEAVY DUTY **RADCHEK TEST STRIPS** FOR EXTENDED LIFE **COOLANTS**

TESTS 4 COMPONENTS: pH levels, Glycol, Molybdate & Nitrite up to 3200 ppm.

TESTS: OAT, NOAT, HOAT

50 STRIPS / BOTTLE



2050

Testing The 3 O's!

ORGANIC ACID (OAT), NITRITE ORGANIC ACID (NOAT) & HYBRID ORGANIC ACID (HOAT) **ELC HD TEST STRIPS Essential Test: Carboxylate Acid Inhibitors,** Glycol, Nitrite & pH. Protect against liner pitting, corrosion & coolant dilution.

80240 25 STRIPS / BOTTLE

up to 4000 ppm in Red HD ELC.

• Provides added ranges for evaluation of

protection for the supplemental additives in the cooling system for Nitrite.

TESTS: OAT, ŇOÁT & HOAT

80200

50 STRIPS / BOTTLE

LOW LEVEL - WEAR METAL IONS TEST STRIPS



TESTS: Wear Metal lons in Coolant, Engine (Gas & Diesel) Oils, Differential, Power Steering, Transmission & Brake Fluid at very low content.

Any abnormal presence of METAL IONS allows immediate corrective action. Test Range from 10 - 1000 ppm.

80800 **50 STRIPS / BOTTLE**



HEAVY DUTY HYDROCARBON TEST STRIPS Use to detect the presence of Oil in Diesel Exhaust Fluid (DEF), **ALL Coolant & Water.**

80508 **50 STRIPS / BOTTLE**



Box 790, Bobcaygeon, ON K0M1A0 · www.nlsproducts.ca · mail@nlsproducts.ca

ACU1PEN0818





NORTON BLAZE TR RAPID STRIP DISCS

31054 4" TR+

31051 2"

31053 3"

38632 2" Rapid Blend Disc

38633 3" Rapid Blend Disc



NORTON VORTEX RAPID BLEND DISCS

34782 2"

34783 3"



NORTON BLAZE TR

62318 2" - 36 Grit 62332 3" - 60 Grit 62328 3" - 36 Grit 62324 2" - 80 Grit

62322 2" - 60 Grit 62334 3" - 80 Grit



NORTON BEAR-TEX RAPID PREP DISCS

09190 2" - Maroon

09191 2" - Brown

17522 3" - Maroon

09194 3" - Brown



NORTON BLAZE MINI FLAP DISCS

90145 2" - 36 Grit 90148 2" - 80 Grit 90150 3" - 36 Grit 90153 3" - 80 Grit 90147 2" - 60 Grit 90149 2" - 120 Grit 90152 3" - 60 Grit 90154 3" - 120 Grit



NORTON SCUFF PADS 6"X9"

00256 Primer/Prep (Maroon)

Retail Pack

00257 Color Prep (Gray) Retail Pack



NORTON BLAZE CUT-OFF WHEELS

71058 3" x 1/32" x 3/8" 71059 3" x 1/16" x 3/8"



NORTON MINI ANGLE SANDER KITS

50077 2"

82155 3"



NORTON MEDALLION CUT-OFF WHEELS

89032 3" x 1/32" x 3/8"

89030 3" x 1/16" x 3/8"

89034 3" x 3/8" x 3/8"



NORTON WET SAND SHEETS 9"X11"

00491 2000B - Retail Pack

00492 1500B - Retail Pack

00493 1200B - Retail Pack

00494 1000B - Retail Pack

00495 P800B - Retail Pack

00496 P600B - Retail Pack

00497 P400B - Retail Pack

00498 P320B - Retail Pack

00499 P220B - Retail Pack



NORTON STICK & SAND 6" DISCS

00345 P400B - Retail Pack

00346 P320B - Retail Pack

00347 P220B - Retail Pack

00348 P180B - Retail Pack 00350 P80B - Retail Pack

00351 80E - Retail Pack

00352 40E - Retail Pack



00629 P320B - Retail Pack

00630 P220B - Retail Pack

00631 P180B - Retail Pack

00633 P80B - Retail Pack



NORTON STICK & SAND BODY FILE SHEETS

00322 2-3/4"x16-1/2"

80E - Retail Pack

00323 2-3/4"x16-1/2"

40E - Retail Pack





PERMATEX® BLUE MEDIUM STRENGTH THREADLOCKER

24200 - 6ml Carded Tube

24240 - 36ml Carded Bottle

24250 - 50ml Bottle

24215 - 10g Carded Tube Gel Twist

Medium strength, general purpose

threadlocker.



PERMATEX® THREAD SEALANT

59206 - 6ml Carded Tube

59234 - 50ml Carded Tube

PERMATEX® HIGH PERFORMANCE 565

56550 - 50ml Carded Tube

PERMATEX® MAXIMUM TEMPERATURE 567

56750 - 50ml Carded Tube

Locks and seals threaded fittings.



THE RIGHT STUFF® BLACK INSTANT **SEAL GASKET**

26015 212g Power Can

30874 - 147ml Cartridge

30876 - 300ml Cartridge

30877 - 3pk Kit (w/qun)

Seals instantly, forming a reliable. long lasting elastomeric rubber gasket.

Remains flexible.



THE RIGHT STUFF® RED INSTANT **SEAL GASKET**

30878 147mL Cartridge Red, high temperature, instant seal gasket. Ideal for high performance and high temperature parts.



PERMATEX® ANAEROBIC GASKET

51580 300mL Cartridge

rigid-machined flanges with gaps of

aluminum parts.



PERMATEX® RED HIGH STRENGTH THREADLOCKER

26200 - 6ml Carded Tube

26240 - 36ml Carded Bottle

26250 - 50ml Bottle

27115 - 10g Carded Tube Gel Twist

High strength threadlocker.



PERMATEX® PNEUMATIC/HYDRAULIC THREAD SEALANT

54540 36mL Carded Bottle

54550 50mL Bottle

Designed for locking and sealing high

pressure hydraulic and pneumatic systems.



THE RIGHT STUFF® GREY INSTANT **SEAL GASKET**

30870 147mL Cartridge

34310 300mL Cartridge Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Ideal

for rigid cast aluminum parts.



THE RIGHT STUFF® BLACK 90-MINUTE GASKET

30873 80mL Carded Tube Provides the quickest return-toservice time of any gasket in an 80mL squeeze tube. Creates a reliable, long lasting elastomeric rubber gasket.



51550 50mL Carded Tube

51850 80mL Carded Tube

51845 300mL Cartridge

Use for gasketing close fitting,

0.25mm (0.01"). Ideal for rigid cast



PERMATEX® GASKET SEALANTS

58912 80mL Tube - Form-A-Gasket #1

58922 80mL Tube - Form-A-Gasket #2

80017 473mL Can - Aviation Form-A-Gasket #3

58981 118mL Can - High Tack® Sealant

80546 255g Aerosol - Spray-A-Gasket®

58985 255g Aerosol - Copper Spray-A-Gasket®

Gasket sealants for use in dressing/sealing pre-

formed gaskets





ULTRA BLACK® GASKET MAKER
59803 80mL Carded Tube
59813 300mL Cartridge
Superior adhesion to oily surfaces
with long term durability. Remains
flexible.



ULTRA GREY® GASKET MAKER
59903 80mL Carded Tube
59913 300mL Cartridge
Performs under higher torque loads
associated with engines having
closely spaced bolt patterns. Ideal for
rigid cast aluminum parts.



ULTRA COPPER® HIGH
TEMPERATURE GASKET
59703 80mL Carded Tube
59713 300mL Cartridge
Designed for high performance
parts or where operating
temperatures are higher.



PERMATEX® RED HIGH
TEMPERATURE RTV GASKET
59403 80mL Carded Tube
59413 300mL Cartridge
Formulated for high temperature
applications or heavy-duty use.



PERMATEX® RTV SILICONE ADHESIVE SEALANTS

59103 CLEAR - 80mL Carded Tube
59107 CLEAR - 205g Power Can
59113 CLEAR - 300mL Cartridge
59203 BLACK - 80mL Carded Tube
59213 BLACK - 300mL Cartridge
Automotive grade, all-purpose RTV
silicone adhesive sealants. Use for sealing, bonding, insulating and caulking.



PERMATEX® COLD WELD EPOXY ADHESIVE

14600 2x28g Carded Tubes
84119 25mL Carded Syringe
84319 56g Carded Stick
Fast setting, 2-part adhesive and filler
used to repair broken metal parts.
Forms a permanent bond and can be
drilled, sanded, filed and painted.



PERMATEX® 5 MINUTE CLEAR EPOXY

84111 25mL Carded Syringe
84114 14mL Carded Syringe
Easy to use 2-part dispensing syringe.
Multi-purpose adhesive. Can be
drilled, machined and painted. Clear
appearance. Sets in 5 minutes.



PERMATEX® 1 MINUTE CLEAR EPOXY

84162 25mL Carded Syringe
Fast setting, two-part adhesive
formulated with a blue-dye indicator
that disappears when the epoxy is
fully mixed and ready to use. Bonds to
metals, hard plastics, ceramics, wood
and more.



PERMATEX® PLASTIC WELDER™

84125 25mL Carded Syringe Forms a tough durable bond to hard and semi-flexible plastics, aluminum, fiberglass and more. Structural adhesive designed for general purpose bonding including automotive trim, bumpers and clips.



PERMATEX® SUPER GLUE INSTANT ADHESIVE

49502 2g Carded Tube
49512 28g Carded Bottle
30030 2g GEL Carded Tube
Automotive grade cyanoacrylate super
glue. High performance super glue
provides a stronger, faster-acting and
longer lasting bond. Bonds metal, most
plastics, vinyl, rubber, ceramics, textiles,
leather and more.





PERMATEX® SILVER ANTI-SEIZE

76762 113q Can

76765 241g Aerosol

76764 454g Can

A highly refined blend of aluminum, copper and graphite lubricants. Prevents galling, corrosion and seizing due to weathering or chemicals. Temperature range: -60°F to 1600°F (-51°C to 871°C).



PERMATEX® COPPER ANTI-SEIZE

09127 227g Brush-Top Can 09124 454g Brush-Top Can

Prevents seizing, corrosion and galling where high temperatures exist. Contains microfine copper flakes and is fortified with rust and corrosion inhibitors. Temperature range: -30°F to 1800°F (-34°C to 982°C).



PERMATEX® NICKEL ANTI-SEIZE

77124 227g Brush-Top Can 77164 454g Brush-Top Can Protects metal parts from seizing and galling at temperatures up to 2400°F (1316°C). Recommended for extreme pressure and temperature conditions, and for use with stainless steel, titanium and nickel alloys.



PERMATEX® PURPLE CERAMIC BRAKE **PARTS LUBRICANT**

24126 236mL Can

Synthetic formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not wash out. For metal-to-metal contact only.



PERMATEX® GREEN SILICONE BRAKE PARTS LUBRICANT

24120 80mL Tube 24121 236mL Can Silicone formula brake parts lubricant. Formulated to lubricate caliper pins, sleeves, clips, slides and other brake parts. Will not cause rubber components to swell. Temperature range: -50°F to 550°F (-46°C to 288°C).



PERMATEX® ORANGE SILICONE CERAMIC **BRAKE PARTS LUBRICANT**

24127 28mL Carded Tube 24122 236mL Can

Silicone formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not cause rubber components to swell. Meets JIS K 2228 with EPDM and Nitrile rubbers.




PERMATEX® DISC BRAKE QUIET

24155 255g Aerosol 31868 118ml Bottle Stops brake squeal by dampening vibration at caliper/brake pad interface. Provides tighter fit and allows for easier disassembly. Protects against corrosion.



PERMATEX® DIELECTRIC TUNE-UP GREASE

22066 28g Carded Tube 22064 85g Carded Tube 22065 85g Power Can Necessary for an effective tune-up on high energy ignition services. Prevents voltage





PERMATEX® BATTERY CLEANER SA-8

leak around any electrical connection.

80369 163g Aerosol

Spray on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt and grime instantly.



GUMOUT® BATTERY PROTECTOR & SEALER

29224 141g Aerosol Seals and coats battery terminals eliminating the formation of acid salt corrosion. Prevents terminal corrosion and battery drain.





FAST ORANGE® PUMICE LOTION HAND CLEANER

25102 221mL bottle

25117 443mL bottle

25217 1.89L bottle

25219 3.78L bottle

Biodegradable, petroleum solvent-free hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



FAST ORANGE® XTREME PUMICE HAND CLEANER

25619 CHERRY - 3.78L bottle

25616 ORANGE - 443ml Bottle

25618 ORANGE - 3.78L Jug

Professional strength hand cleaner tackles the toughest grease and grime.



SPRAY NINE® HEAVY-DUTY CLEANER/DISINFECTANT

C26822 650ml Bottle

C26832 946mL Bottle

C26804 4L Jug

C26820 20L Pail

C26845 208L Drum

Cleans the toughest grease, grime, stains and bacteria where others fail.



SPRAY NINE® GLASS & STAINLESS STEEL CLEANER

C23319 600g Aerosol Cleans dirt, dust, fingerprints, smudges and light grease from glass, stainless steel and metal surfaces.



RAINX® ORIGINAL GLASS TREATMENT

36231 207mL bottle

36232 473mL bottle

Dramatically improves wet weather driving visibility. Apply to exterior glass and raindrops will fly off the windshield while driving. Helps improve visibility by repelling rain, sleet and snow.



FAST ORANGE® SMOOTH LOTION HAND CLEANER

23102 221mL bottle

23117 443ml bottle

23217 1.89L bottle

23218 3.78L bottle

Biodegradable, petroleum solvent-free hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



FAST ORANGE® HAND CLEANER WIPES

25050 25CT Pouch

25051 72CT Bucket

Removes the toughest grease, tar, grime, ink, paints, sealants and adhesives. Premoistened, dual textured wipes. Textured one-sidefor heavy-duty cleaning, smooth on the other side for general purpose cleaning.



GREZ-OFF® PARTS CLEANER

C12532 946mL Bottle

C12501 3.78L Jug

C12520 20L Pail

C12545 208L Drum

Powerful water-based parts cleaner. Use undiluted for spray-and-wipe cleaning or use in Parts Washer systems and Immersion Tanks.



SPRAY NINE® GARAGE FLOOR CLEANER

C11525 11.3kg Pail

Powerful concrete cleaner formulated to cut through stains and heavy deposits, lifting away grease, grime and dirt. Ideal for garages, work shops, driveways and walkways.



BLACK MAGIC® TIRE SHINE AND FOAM CLEANER

36081 Tire Shine - 425g aerosol

36201 Tire Foam #1 - 510g aerosol

36202 Tire Foam #2 - 510g aerosol

Tire Foam cleans and shines in one step. Just spray on and walk away. Tire Wet® leaves a streak-free high gloss shine.



COOLANT DAM

Simple tool that holds coolant inside the engine when other components are removed for repair or replacement.



BENEFITS

- Creates a vacuum, holding coolant inside the engine without hand pumping or running the engine
- Quickly converts the unit from vacuum to a pressure tester
- No need to drain the block for simple repairs
- Coolant Filling

WHEN TO USE

- Changing Heater Hoses
- Changing Fan Sensors
- Changing Temperature Sensors
- Installing Shut-off Valves for Fuel Warmers & Separators
- Replacing Cab Heater Cores
- Replacing Heater Control Valves

TANK CIRCULATION HEATER

Provide dependable pre-heating for engine starts in all temperatures by circulating warmed coolant throughout the engine.

Applications:

Diesel & Gas Gensets, Compressors, & Agriculture



Part No.	Volts	Watts	Amps	Inlet/Outlet	Cord Length	Tank Size	Plug Type	UL Listed	CSA
Regulating	Thermos	stat – On 6	0°F (16°C)	/ Off 80°F (27°C	:)				
3305028	120	750	6.3	5/8"	5' (1.5m)	Small	А	No	Yes
3305040	120	1000	8.3	5/8"	5' (1.5m)	Small	А	No	Yes
3305052	120	1500	12.5	3/4"	5' (1.5m)	Large	А	No	Yes
3305004	120	2250	18.8	3/4"	7' (2m)	Large	С	No	Yes

HYDRALINERS



Pre heat the hydraulic system with or without the engine running by utilizing the engine coolant.

Part Number	Tube Immersion Length	Total Length	Surface Area Nominal	BTU/hr Nominal (1)	Typical application (ambient air temp) to -20°F / -29°C (2)	Typical application (ambient air temp) to -40°F / -40°C (2)
H-4000-16	15"	18"	250 in²	Water 10,000	Up to 50 US gallons	Up to 19 US gallons
H-4000-16-STOR	381 mm	457 mm	16 dm²	Oil 5,000	190 Liters	72 Liters
H-4000-20	19"	22"	315 in²	Water 13,000	Up to 63 US gallons	Up to 25 US gallons
H-4000-20-STOR	483 mm	559 mm	20 dm²	Oil 6,500	239 Liters	90 Liters
H-4000-24	23"	26"	385 in²	Water 16,000	Up to 77 US gallons	Up to 30 US gallons
H-4000-24-STOR	584 mm	660 mm	24 dm²	Oil 8,000	292 Liters	113 Liters

Tube immersion lengths are available from 7" to 23". View the complete line in the Arctic Fox catalog at www.phillipsandtemro.com.



IN-LINE FUEL HEATERS

Coolant based heat exchanger that prevents fuel gelling and maintains uptime, easily retro-fitted and optional 120V electric preheat available.

Part No.	Coolant Port	Fuel Port	Tube Length	Tube O.D.	Total Length	Surface Area	Pre Heat Option
I-909BT-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	15.5"/394mm	100"²/645.2cm²	No
I-909BTEH-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	18.5"/470mm	100"²/645.2cm²	120 VAC
I-1518BT-B100	1/2" NPT	1" NPT	18.0"/457mm	2.375"/60mm	25.5"/648mm	320"²/2064.5cm²	No

View the complete line of fuel and fluid heaters in the Arctic Fox catalog at www.phillipsandtemro.com.



CIRCULATION HEATERS





Applications:

• Industrial, Agriculture, and Off-Road

Features:

- Thermostatically controlled: Opens at 190°F (88°C), closes at 151°F (66°C)
- Vertical installation only. Dimensions: 2-3/4" x 8-1/2" (7cm x 21.6cm)
- Heavy Duty 3-wire 5 ft. (1.52m) attached cord, 2000W heater has 22" attached cord
- Rugged cast aluminum construction is corrosion and impact resistant



Part No.	Watts	Volts	Amps	Plug Configuration	Inlet/Outlet Size	Replacement Element	Thermostat
2204010	750	120	16	А	5/8"	2204061	2204266
2204029	1000	120	12	А	5/8"	2204088	2204266
2204037	1500	120	8	А	5/8"	2204096	2204266
3300091	2000	120	6	С	5/8"	3300093	2204266

View the complete line of circulation heaters in the Zerostart catalog at www.phillipsandtemro.com.

LIT PLUGS ...



Applications:

 Automotive industry and Light Truck

Features:

- LED Light is visible from 50' to monitor from a distance
- Visual que that indicates power to the heater
- Offered on popular aftermarket block and cartridge heater kits
- Cord may be purchased separately and added to existing heater
- CSA approved





Lit Cord	Std Cord	Cord Length
3600116	3600006	5" (1.52m)
3600117	3600005	5" (1.52m)
3600118	3600001	5" (1.52m)
3600119	3600082	5" (1.52m)
3600119	3600083	5" (1.52m)







3600118

3600119

Model year application available in the Zerostart catalog at www.phillipsandtemro.com.

CARTRIDGE HEATERS

Fits Dodge, Jeep and Chrysler Applications



Part No. 3100128 Replacement Cord: 3600120



Part No. 3100131 Replacement Cord: 3600121

Model year application available in the Zerostart catalog at www.phillipsandtemro.com.





Part No.	Watts	Volts	Amps	c us Pad Size	Oil Pan Capacity	Hydraulic Fluid	Application
3400031	125	120	1.0	3" round	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai.
3400030	50	120	0.4	3.5" x 1.25"	1 – 3 U.S. Qts (1.0 – 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines.
3400032	125	120	1.0	6" x 1.5"	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Ribbed Oil Pans & Automatic Transmissions. Examples: Toyota 4Runner & European Cars.
3400033	250	120	2.1	3.75" x 4.25"	5 – 13 U.S. Qts (4.7 – 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications.
3400034	500	120	4.2	5" x 7"	13 – 27 U.S. Qts (12.3 – 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.
3400035	1000	120	8.3	6" x 10.75"	26 – 48 U.S. Qts (24.6 – 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.
3400036	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries.
3400038	180	120	1.5	13" x 20.5"	BATTERY WARMER (non-stick pad)	n/a	Large Battery Pad Warmer Fits under 3–4 Group 31 Batteries





HEAT MAGNET®

Part No. 3400017

- 200 Watt 120 Volt AC
- Built-in thermostat maintains optimum temperature—will not exceed 250°F (121°C)
- Dimensions 4-3/8" (11cm) (L) x 2-1/2" (6.3cm) (W) x 3" (7.5cm) (H) (including handle)





- 120 Volt AC operation
- Blanket style heater warms battery core to 60° 70° above ambient temperature for quick starts
- Thinsulate™ thermal insulation helps maintain battery temperature in warm or cold weather
- Complete with 30" (76cm) grounded cord
- All battery blanket heaters are 5". (12.7cm) tall, 1/2". (1.1cm) thick

Part No.	Length	Wattage	Battery Size
2800055	28"	50	Series 26, 26R, 70
2800063	36"	80	Series 24, 24F, 27, 27F, 74
2800071	72"	160	Truck batteries, Series – parallel systems

Thinsulate[™] is a registered trademark of 3M corporation.



INTERIOR CAR HEATER ...



- Ideal for use in passenger, light-duty, and recreational vehicles
- 900 Watts 120 Volt AC 3,000 BTU
- Mounts on floor or under dash. Mounting bracket included
- Compact size: 7" (17.6 cm) (L) x 4.5" (11.3 cm) (W) x 2.75" (7 cm) (H)
- Cord length: 7.5 ft. (2.3 m)
- Includes a blower fan

Car Warmer Replacement Cord Part No. 3600055





6-1/0 UNI BATTERY TERM 880-11



8-1/0 UNIVERSAL BATTERY TERM 880ST-11



1-4/0 HD UNI BATTERY TERM 880HD-BP



TOP POST BRASS QUICK DISC 887-11



6-1GA BATTERY TERM 891N-11 NEG 891P-11 POS



3/8" MARINE BATTERY TERMINAL 898N-BP NEG 899P-BP POS



BLK SPLIT LOOM 5140-B - 1/4" 5141-B - 3/8" 5142-B - 1/2"



WRAP-ABLE SPLIT TUBING 8424-0-44 - 1/4" 8426-0-44 - 1/2" 8427-0-44 - 3/4"



16G 12" LEAD TRAILER CABLES 1871-BP - 2 Pins 1873-BP - 4 Pins



7POLE RV



#0400.21

#9482-BP #9483-BP #9490-31

9482-BP - TRAILER PLUG

9483-BP - TRAILER SOCKET

9490-31 - SOCKET BRACKET



6POLE 35A 9475-11 - Plug-No Spring 9476-11 - Plug-with Spring 9477-11 - Socket Car End



7W PLUG TO 4W FLAT FEMALE 7704-11



7W RV BLADE TO 4W FLAT 7717-11



HIGH AMP PANEL/ SURFACE MOUNT 3401-31 - 100AMP 3404-31 - 150AMP



ANL HIGH AMP FUSES9811-11 - 100AMP
9812-11 - 150AMP



HIGH AMP FUSE HOLDER 9800-31



ANM/AMG HIGH AMP FUSES 9700-11 - 80AMP 9701-11 - 100AMP 9702-11 - 125AMP



ANM/AMG FUSE HOLDER 9711-31



MIN BLADE FUSES 110-BP - 10AMP 115-BP - 15AMP 120-BP - 20AMP



WATER RESISTANT IN-LINE MIN FUSE HOLDER 131-11 16 AWG 15A



MIN BLADE ADD-A-CIRCUIT 981-11



MIN BLADE ADD-TWO-CIRCUITS 975-11



STANDARD BLADE FUSES 964-BP - 10AMP 965-BP - 15AMP 966-BP - 20AMP



STANDARD BLADE ADD-A-CIRCUIT 982-11



STANDARD BLADE II
ADD-TWO- II
CIRCUIT 974-11



LOW PROFILE BLADE FUSES 9945-14 - 10AMP 9946-14 - 15AMP 9947-14 - 20AMP



LP ADD-A-CIRCUIT 9950-11



MAX BLADE FUSES 220-11 - 20AMP 230-11 - 30AMP 240-11 - 40AMP



IN-LINE MAX FUSE HOLDER 206-11 8AWG 60A



MICRO 2 FUSES 10210-14 - 10AMP 10215-14 - 15AMP 10220-14 - 20AMP



MICRO 2 ADD-A-CIRCUIT 10200-11 16AWG 10A



MICRO 3 FUSES 10305-14 - 5AMP 10310-14 - 10AMP 10315-14 - 15AMP



MICRO 3 ADD-A-CIRCUIT 10300-11 16GA 15A



MICRO FUSE LINKS 10415-11 - 15AMP 10420-11 - 20AMP 10425-11 - 25AMP



SLOTTED MICRO FUSE LINKS 10450-11 - 15AMP 10451-11 - 20AMP 10452-11 - 25AMP





3:1 BLACK DUAL WALL SHRINK TUBE 30602-91 6" x 30 pieces



2:1 FABRIC HEAT SHRINK **TUBING**

8391-34 - 3/4" 8393-34 - 1 1/2" 8394-34 - 2" 8396-34 - 2.75"



ADHESIVE LINED DUAL WALL 3:1 HEAT SHRINK TUBE - BLACK

8331-A - 1/4" 8332-A - 3/8" 8333-A - 1/2" 8335-43 - 1"



MAGMAFLO 4:1 HEAT SHRINK **TUBING**

8361-43 - 6mm 8362-43 - 8mm 8363-43 - 12mm 8364-43 - 18mm



MAGMAFLO DIESEL RESISTANT **4:1 HEAT SHRINK TUBE**

8381-43 - 6.60mm 8382-43 - 8.64 mm 8383-43 - 11.68 mm 8384-43 - 19.30 mm



OEM TERMINAL CRIMP TOOL 187-11 24-14 AWG



EXTRA HD CRIMP TOOL 365-11 22-10 AWG



4 IN 1 MINI CRIMP TOOL 370-11 12-20 AWG

66' ALL WEATHER PVC

RATED -10°C TO 80°C, 600V

3/4" WIDE x 0.007" THICK

3466-0-RL

Black



WIRE STRIP TOOL 455-11 26-10 AWG





PERFORMANCE **CABLE TIES**

7295-36 - 7.5" 7296-36 - 11" 7297-36 - 14" 7298-36 - 14" HD Rated TO -40°C **INCREASED UV PROTECTION**



PERFORMANCE ICE CABLE **TIES**

7395-36 - 7.5" 7396-36 - 11" 7397-36 - 14"

7398-36 - 15" HD

Rated TO -40°C



8247-31 2400°F (1300°C)



PTFE THREAD SEAL TAPE RATED -190°C TO 280°C 40' ROLL X 1/2" WIDE 3467-E



4 IN 1 BUTANE TORCH

Use as a torch, soldering iron, hot air blower or shrink tube tool.



FUSING TAPE 3469-0-31 PRO-TORCH™ 3469-5-31 No adhesive, tape fuses





7.5" 50 LB. CABLE TIES 7066-0-C UV black 7066-C Natural

70666N9-C



15" HEAVY DUTY CABLE TIES 7068HD-0-C UV Black 7068HD-C Natural



METAL PAWL CABLE TIE 7256-36 - 7.5" 7257-36 - 11" 7258-36 - 14"



STAINLESS STEEL 14" 7272-34 - 120lb 7282-34 - 485lb



WEATHER PACK CONNECTORS & TOOLS 31503-91 90 pieces



Neon pink

RING CONNECTORS - #10 - VINYL INSULATED

1705-CS – red, 22-18 AWG 1805-CS – blue, 16-14 AWG 1905-CS – yellow, 12-10 AWG





1900-CS - yellow, 12-10 AWG



BUTT CONNECTORS
HEAT SHRINK INSULATED
5800-CS - RED, 22-18 AWG
5900-CS - BLUE, 16-14 AWG
6000-CS - YELLOW, 12-10 AWG



DEUTSCH DT SERIES CONNECTORS & TOOL 31505-91 39 pieces



INDUSTRIAL GRADE ELECTRICAL PLUGS 8956-11 - Female 8957-11 - Male



3 CONDUCTOR SERVICE CORD 100' 8905-C - 14/3 AWG Black - Green - White



2 CONDUCTOR AUTOMOTIVE GREY JACKETED WIRE 100' 8147-C - 16/2 AWG 8148-C - 14/2 AWG



WELDING CABLE 100' RATED -50°C TO 105°C 600V 8059-C - 2/0 AWG



GPT INSULATED
PRIMARY WIRE 100'
8114-0-C - 14 AWG, BLACK
8114-5-C - 14 AWG, RED



RED INDICATOR LIGHT 9414-BP 12V



MINI BATTERY SWITCH 32V DC 9420-11 - 200 AMPS 9421-11 - 300 AMPS



METAL BAT HANDLE SWITCH SPST 9432-11 - 12V 20A



METAL BAT HANDLE SWITCH SPST 9435-11 - 12V 25A



HEAVY DUTY TOGGLE SWITCH 6-24V @ 50A 9436-BP



UL 588 HEAVY DUTY MASTER BATTERY DISCONNECT 6-36V 190 AMPS 9449-11



MASTER BATTERY DISCONNECT 12V DC 350 AMPS 9450-11



HEAVY DUTY PUSH BUTTON HORN 9452-11



WEATHER RESISTANT PRE-WIRED SWITCH SPST 9459-11 24V @ 15A/12V @ 25A



12V SOLENOID CONTINUOUS DUTY SWITCH 9497-11



GENERAL PURPOSE 925-11 40/30A 12V DC



GENERAL PURPOSE RELAY & PIGTAIL 926-91 40/30A 12V DC



WEATHER RESISTANT SEALED RELAYS 927-11 40/30A 12V DC



WEATHER RESISTANT RELAY & PIGTAIL 928-91 40/30A 12V DC



Formulated for **Your Vehicle**

PRESTONE® COR-GUARD™ ANTIFREEZE/COOLANT



5X MORE EFFECTIVE AT PROTECTING AGAINST CORROSION[‡]

- Cor-Guard[™] stops the spread of corrosion
- #1 Branded Engine Protection that delivers longer engine life*
- Guaranteed for all makes, all models of ANY car or light-duty truck

Concentrate 50/50 #71621 #71175

PRESTONE® DEX-COOL™ **EXTENDED LIFE ANTIFREEZE/COOLANT**





 For GM Vehicles calling for dexcool™ approved coolants

Concentrate 50/50 #71118 #71159

PRESTONE® 50/50 PREDILUTED ASIAN ANTIFREEZE/COOLANT



FORMULATED FOR ASIAN VEHICLES

- Compatible with Asian-based POAT technologies
- Formulated for use in Toyota[®], Lexus[®] and Scion® vehicles*

50/50 #78007

PRESTONE® 50/50 PREDILUTED ASIAN ANTIFREEZE/COOLANT



FORMULATED FOR ASIAN VEHICLES

 Formulated for use in Honda[®]. Acura[®]. Nissan®, Infiniti®, Subaru®, and Suzuki® vehicles*

50/50 #78015

PRESTONE® 50/50 PREDILUTED EUROPEAN ANTIFREEZE/COOLANT



FORMULATED FOR EUROPEAN VEHICLES

• Formulated for use in Audi®, BMW®, Jaguar®, Volvo®, Mini®, Porsche®, Saab®, VW®, and Mercedes® vehicles*

50/50 #78023

PRESTONE COMMAND® HEAVY DUTY NITRITE FREE **EXTENDED (ELC) LIFE ANTIFREEZE/COOLANT**



FORMULATED FOR HEAVY DUTY VEHICLES

 Compatible with ANY Nitrite Free OAT Extended Life heavy duty antifreeze/ coolant

50/50 #74097

PRESTONE COMMAND® HEAVY DUTY EXTENDED LIFE (ELC) ANTIFREEZE/COOLANT



FORMULATED FOR HEAVY DUTY VEHICLES

 Compatible with ANY NOAT Extended Life heavy duty antifreeze/coolant

50/50 #74055

CELSIUS® BY PRESTONE EXTENDED LIFE ALL MAKES **ALL MODELS** ANTIFREEZE/COOLANT



FORMULATED FOR ALL VEHICLES

· All makes, all models of ANY car or light-duty truck

Concentrate 50/50 #11551 #11576

WASH & WAX CONCENTRATE



41205 - 4L

Description:

A super concentrated, liquid WASH & WAX formulated to quickly and effectively clean all finishes without scratching. Unique foaming action and wax lubricates surface to help prevent unwanted scratches.

PRESSURE WASHER CLEANER / DEGREASER CONCENTRATE

TOUGH ON

Grease, Grime & Stains!





28320 -20L

28316 -4L

CLEANER / DEGREASER

GLASS CLEANER

27416 -990ml

28416 -4L



For use on:

Windows, mirrors, counter tops, appliances, stainless steel, chrome, fixtures, plexi glass



Uses:

Automobiles, garages, marine, RVs, ATVs, motorcycles, household

29416 -20L

26416 -4L

25416 -990ml

ULTRASONIC SOAP

CLEANING SOLUTION

12520 -20L








Power Train Components

YOUR PARTNERS FOR PROFIT!

TRAILER HUB, BRAKE, BEARING & SEAL GUIDE

TRAILER HUB KITS

- Kits include pre-assembled bearings and seals for a complete repair.
- Fix the cause; not just the symptom. If the bearing is bad, so is the hub. So replacing both is the best long term solution.
- Trailer Hub Kits are field serviceable



PT203025

5

ELECTRIC TRAILER BRAKE ASSEMBLIES AND DRUMS

Fits 1-1/16" Spindle

with 5 on 4-1/2" Bolt Pattern

Bolt Pattern PTC **Description** Side Capacity 331010-1 10" x 2-1/4", Electric Brake Assembly Right 3.500 lbs 4 holt 331010-2 10" x 2-1/4", Electric Brake Assembly Left 3,500 lbs 4 bolt 363233-1 12" x 2", Electric Brake Assembly Right 6-7,000 lbs 5 Bolt 363233-2 12" x 2". Electric Brake Assembly Left 6-7.000 lbs 5 Bolt

1

• Brake Assemblies include: backing plate, shoe linings, magnets, actuating lever, adjusting screw & spring hardware

PTL44649

PTL44610



Red Neck 8-259-UCI

Redtrailer 156B Shipshape 13311 Valmar 80582 Carryon 155

511655

^{**}Note: Seals and bearings sold separately



YOUR WASTE MANAGEMENT & POLYETHYLENE FILM SOLUTION PROVIDER

TRASH BAGS AND CAN LINERS



275401

EP3547XSC EP4248XSC

- ECOLOGO™ Certified
- Available in Various Colours (2900), Sizes and Strengths
- Outstanding Elongation and Tear Resistance









275501	Extra Strong Recycled Black Garbage Bags 24X22 500/box
277101	Strong Recycled Black Garbage Bags 26X36 200/box
277301	Strong Recycled Black Garbage Bags 30X38 200/box
278101	Extra Strong Recycled Black Garbage Bags 26X36 125/box
278301	Extra Strong Recycled Black Garbage Bags 30X38 125/box
278501	Extra Strong Recycled Black Garbage Bags 35X50 100/box
278701	Extra Strong Recycled Black Garbage Bags 42.5X48 75/box
279501	Super Strong Recycled Black Garbage Bags 35X50 75/box
296400	Regular Strength Recycled Transparent Garbage Bags 35X47 200/box
297308	Strong Recycled Blue Garbage Bags 30X38 200/box
38001	SUPERSAK® 3 MIL Bags Ultra Tough 35X50 50/box
EP2022RB	EcoPerformance Regular Strength Black 20X22 500/box
EP2636RC	EcoPerformance Regular Strength Clear 26X36 250/box
EP2636XSB	EcoPerformance Extra Strong Black Garbage Bags 26X36 125/box
EP3038RB	EcoPerformance Regular Strength Black 30X38 250/box
EP3038XSC	EcoPerformance Extra Strong Clear Garbage Bags 30X38 125/box

EcoPerformance Extra Strong Clear Garbage Bags 35X47 100/box

EcoPerformance Extra Strong Clear Garbage Bags 42X48 75/box

Extra Strong Recycled Black Garbage Bags 22X24 500/box





RapidFix combines an Instant Adhesive with a Welding Powder and together they repair almost anything!

The RapidFix Dual Adhesive System has a wide range of applications. It can bond almost any material to itself or to another material.

Will not dry out in the container

- High Strength-bonds in seconds
- Bonds instantly to most materials
- RapidFix can be filed, ground, drilled and painted instantly
- Adhesive dries crystal clear



On The Go.



On the road, make emergency repairs to rubber, plastic, glass, metal, fiberglass, and more. Makes super-strong bonds quickly and easily.



At Work.

Save time and money by making easy repairs rather than costly replacements. Fill holes, then sand, drill, and paint a repair instantly.

At Home.



Around the house, garage, or workshop, repair wood, plastics, rubber, ceramics, tile, glass, metals, fiberglass and more.



At Play.

On water, in the woods, or riding the trail, take RapidFix with you. With endless versatility you can make repairs that may keep you from being stranded.





RISLONE LIQUID COPPER BLOCK SEAL AND RADIATOR STOP LEAK

31109

Seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



RISLONE HEAD GASKET FIX

31111

The easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system leaks better than a traditional stop leak. This includes

repairing head gaskets, cylinder heads, intake gaskets, cracked blocks and freeze plugs. Use with ALL types of antifreeze including conventional green or blue (Silicate-Based) and extended life red/orange or yellow (OAT/HOAT) coolant.



RISLONE COOLING SYSTEM REPAIR

31150

Twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. Use with ALL types and colours of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.



RISLONE® LIQUID ALUMINUM™ COOLING SYSTEM / RADIATOR & HEATER CORE STOP LEAK 31186

The best radiator stop leak money can buy. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. For most vehicles leaks stop instantly.





RISLONE PELLETIZED STOP LEAK 31191

Seals internal, external and coolant-to-oil leaks. It is specially formulated to seal larger leaks better than other stop leak products. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Lubricates water pump seal and inhibits the formation of rust and scale. Compatible with both conventional green (silicate-based) and extended life red/orange or yellow (OAT) antifreeze.

- Protects the Entire Cooling System
- Stops Current and Future Leaks
- Inhibits Rust and Corrosion
- Lubricates Water Pump Seal
- Helps Control Electrolysis
- Use on Car, Trucks, Vans SUV's & RV's
- Rhizex pellets dissolve in minutes to seal radiator
 & other cooling system leaks



RISLONE RADIATOR STOP LEAK CONCENTRATE 31197

Rislone has millions of tiny particles to permanently seal internal and external leaks in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Works with ALL types of antifreeze coolant and/or water.

• Stops & Seals Coolant Leaks • Seals Leaks in Radiators, Gaskets, Heater Cores & Freeze Plugs.



RISLONE JACK OIL WITH STOP LEAK

32012

- Works in all floor and bottle jacks
- Mixes with all approved types of hydraulic jack oils
- Repairs jack leaks
- Also works with all snow plow fluids

This product was designed to seal leaks caused by wear and time. If you often need to add oil to your jack, it probably has a leak. The product revives old jacks and prevents leakage on new jacks. Non corrosive. Does not create blocking. Does not foam.



RISLONE ENGINE TREATMENT CONCENTRATE 34102

The product that made Rislone famous. It used to be called "a tune-up in a bottle," and was the very reason the phrase "tune-up" was invented. No joke — this is where all that started.

Fast forward to today: eating clean and healthy foods ensures that our bodies perform at their best. The cleaner we keep our system, the better it runs. This is true for our cars as well. A cleaner engine is a better-lubricated engine with less friction and wear. Our famous, award-winning Rislone Engine Treatment does just that. This product contains high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. It's like a healthy diet for your car.





RISLONE NANOPRIME ENGINE + OIL ADDITIVE 34104

Nano Prime is Rislone's most advanced engine & oil additive ever – it's unlike anything else on the market, period. Perfect for new and older vehicles. Rislone gives the extra protection needed for today's lighter weight oils. This unique Rislone additive uses a fully-formulated GF-5/SN-rated synthetic motor oil carrier that is backwards-compatible with all vehicles. It contains a base synthetic oil to help improve mileage & performance while decreasing emissions. It is designed to work fully with all oil viscosity grades including OW-20, OW-30, 5W-20, 5W-30, 10W-30, 5W-40, 15W-40 and all others. This formula is enhanced with synthetic additives including Nano-tungsten and moly friction modifiers, anti-wear agents, extreme pressure additives plus Rislone's famous detergent and dispersant package.



RISLONE ENGINE REPAIR 34110

The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts. In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants.



RISLONE REAR MAIN SEAL REPAIR 34240

Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.

- Rislone World's Most Trusted Stop Leak Brand Since 1921
- Stops ALL Oil Leaks
- Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



RISLONE RING SEAL SMOKE REPAIR 34416

Stops Blue Exhaust Smoke; Reduces Oil Burning; Seals Worn Pistons & Rings; Add to Engine Oil Anytime Seeing smoke? Don't panic. Simply put your car through the Rislone Regimen to get it back to its healthy state. Our Ring Seal Smoke Repair is formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused by blow-by.

Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Rislone's Ring Seal Smoke Repair contains viscosity improvers that thicken the oil film, filling these gaps. It also provides a seal for worn pistons and rings and cushions engine parts to reduce wear and friction. In other words, it's a car lifesaver in a bottle.





RISLONE AUTOMATIC TRANSMISSION REPAIR

34540

Reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.

- Restores Performance
- Reduces Heat, Friction & Stabilizes Fluid
 - Stops Leaks, Slipping & Rough Shifting
- Adds Protection



RISLONE POWER STEERING REPAIR

34650

Unique dual cavity bottle contains a combination of the best performance additives to repair the most common power steering fluid related problems. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.

- Restores Performance
- Reduces Noise & Smoothes Out Hard Steering
- Stops Leaks and Reconditions Rack & Pinion
- Adds Protection



RISLONE HY-PER FUEL COMPLETE SYSTEM CLEANER 34700

Improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, dry gas, gas treatment and octane booster. Use with All: Unleaded, Oxygenated and Ethanol containing gasoline. Works with all Fuel Injected, Direct Injected, and Carbureted Engines.

- Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system.
- Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation.



RISLONE HY-PER DIESEL COMPLETE FUEL SYSTEM TREATMENT

34740

Improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, anti-gel, diesel treatment and Cetane booster. Use with All: ULSD Diesel, regular Diesel and Bio Diesel. Works with all Direct Injected, IDI, Intercooled, and Turbocharged engines.

- Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system.
- Decarbonizer Removes sticky internal deposits as well as "coking" hard deposits.
- Cold Flow Improver
- Water Remover Sulfur Substitute and Friction Modifier Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting.





RUSTV CHECK RUSTV CHECK WII FAMING - ATTROCUL WIND - ATTROCUL WIND FAMING - ATTROCUL WIND F

COAT & PROTECT

- Coats and Protects New & Old Metals
- Wear Resistant Corrosion Protection
- Heavy Duty Lubrication
- Resists Severe Weather Conditions
- Enduit et Protège le métal neuf et ancien
- Protège contre la corrosion et résiste à l'usure
- Offre une lubrification ultra-résistante
- Résiste aux intempéries

Part # 10025 / 350 g - 12.3 oz Part # 10024 - 4 L - 1.06 gal U.S.

RUST

RUST COAT

RUST INHIBITOR

- Protects New & Old Metals
- Deep Penetrating & Long Lasting
- Lubricates and Prevents Seizing
- A Proven Canadian Product Since 1973

Antirouille

- Protège les métaux NEUFS et USAGÉS
- Pénètre en profondeur et dure longtemps
- Lubrifie et prévient le grippage
- Un produit canadien qui a fait ses preuves depuis 1973

Part # 1043 / 180 g – 6.34 oz Part # 1054 / 350 g – 12.3 oz Part # 1044 / 4 L – 1.06 gal U.S.





- · Prevents the start of corrosion in seams and crevices
- · Removes and displaces moisture in hidden cavities, including salt water
- · Prevents paint blistering at edge of overlapped seams
- · Protects underbody; safe on fuel and brake lines
- · Penetrates deeply and lubricates

RUST PROOFING LUBRICANT & PENETRANT

- Heavy Duty Rust and Corrosion Protection
- · Lubricates and Prevents Seizing
- · Long Lasting and Deep Penetrating

AVANTAGES

- Empêche la corrosion dans les joints et les creux
- Élimine l'humidité et l'eau salée de cavités cachées
- Empêche la peinture de cloquer sur les joints superposés
- Protège le dessous de caisse et les canalisations d'essence et de frein
- Pénètre en profondeur et lubrifie

Part # 10026 / 420 g - 14.8 oz

LUBRIFIANT ET PÉNÉTRANT ANTIROUILLE

- Protection ultra-résistante contre la rouille et la corrosion
- Lubrifie et empêche le grippage
- Longue durée et pénétration profonde

RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer.

Ideal for use on automobiles, trucks, bicycles, tools, barbeques and all metal rust.

Leaves a protective coating that inhibits further rust formation and prepares the surfaces for paint.

TRANFORMATEUR DE ROUILLE

Transforme rapidement la rouille sur les surfaces metalliques en un appret qui peut etre peint. Idéal pour les autos, les camions, les vélos, les outils, les barbecues et toutes les surfaces métalliques rouillées. Laisse une couche protectrice qui empéche la rouille de se propager et prépare les surfaces pour l'application de peinture.

Part # 11006 / 283 g - 10 oz

1-888-RUSTIES www.rustcheck.com









Battery Maintainers & Testers



1.5 AMP AUTOMATIC "BATTERY COMPANION" WITH 3 LEDS AND QUICK DISCONNECT SC1355



1.5 AMP BATTERY CHARGER SC1300

Keeps 6 & 12 volt batteries charged. Fully automatic.



3A 6V/12V AUTOMATIC BATTERY **CHARGER/MAINTAINER** SP1356

Ideal for motorcycle batteries • Charges small batteries and keeps stored lead-acid batteries charged • Microprocessor controlled



BATTERY LOAD TESTER

BT100

Test load, battery condition, starter motor draw and complete charging system diagnosis.

DSR PRO SERIES - Professional Grade Shop Products

DSB PROBOUSTER

BATTERY CHARGERS/ENGINE STARTERS

6/12/24V 330A DSR124 4A maintain | 15A fast charge 30<>80A boost 300/330/250A engine start

Professional wheel charger with flash reprogramming.

12/24V 250A **DSR123** 4A maintain | 15A fast charge 10<>30A/10<>50A boost 250/150A engine start

6/12V 275A **DSR122** 4A maintain | 15A fast charge 20<>60A boost 275/125A engine start Professional wheel charger with flash reprogramming.

6V/12V 250A **DSR131** 2A<>6A charge maintain 50A boost 250A/125A engine start



6V/12V 125A PROSERIES BATTERY CHARGER/ENGINE **STARTER DSR145**



6V/12V 225A PROSERIES MANUAL **BATTERY CHARGER/ ENGINE STARTER DSR139**

1800 PEAK AMP JUMP STARTER WITH 12V POWER SOURCE

DSR119

Built-in charger for automatic charging of internal battery. Maintenance-free, sealed lead-acid AGM battery.





12V 10A RAPID CHARGER **DSR117** 10A fully automatic charger with service mode. Microprocessor-controlled.



Schumacher - Consumer Jump Starts and Chargers



250A 12/24V AUTOMATIC BATTERY CHARGER/ENGINE STARTER SC1352

200A 12V AUTOMATIC BATTERY CHARGER/ENGINE STARTER SC1324

250A 6/12V BATTERY CHARGER/ENGINE STARTER SC1325



6A 6V/12V FULLY AUTOMATIC BATTERY CHARGER SC1357

10A 6V/12V FULLY AUTOMATIC BATTERY CHARGER SC1358

15A 6V/12V FULLY AUTOMATIC BATTERY CHARGER SC1359



50A 12V FULLY AUTOMATIC BATTERY CHARGER/ENGINE STARTER SC1361

6A 6/12V CHARGER/ MAINTAINER SC1320



BENCH TOP 6V/12V 200A BATTERY CHARGER/ENGINE STARTER FR01335

15-LED RECHARGEABLE MAGNETIC

10A 12V FULLY AUTOMATIC BATTERY CHARGER SC1339



80A 12V BATTERY CHARGER/ ENGINE STARTER

SC1306







360° LED CORDLESS WORK LIGHT + MAGNETIC TORCH -GREEN SL26GU

Shumacher - Mechanic Lighting

WORK LIGHT

SL197U

LITHIUM ION 360° LED CORDLESS WORK LIGHT SL360RU - RED SL360GU - GREEN







SEA FOAM MOTOR TREATMENT

THE CHOICE OF MECHANICS FOR OVER 70 YEARS

Make the proven choice! It's no wonder mechanics everywhere rely on this product every day. Sea Foam Motor Treatment has withstood the test of time. It is a petroleum-based cleaner, lubricant, stabilizer, and moisture controller that maintains fuel and oil system components. It will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. Sea Foam Motor Treatment should be a staple in everyone's garage!

SF-16 - 473ml

SF-128 - 3.78L



TRANS TUNE

PUT THE PERFORMANCE BACK INTO YOUR TRANSMISSION, POWER STEERING OR HYDRAULIC SYSTEMS.

TT-16

Over time transmissions naturally accumulate varnish, deposits, and moisture. These contaminants may cause erratic or rough shifting. Before a costly repair try Trans Tune. It is easy to use and effective.



DEEP CREEP

SAVE TIME AND EFFORT. EFFECTIVELY USE THIS MULTI-USE PENETRATING LUBRICANT ON HUNDREDS OF SHOP AND HOUSEHOLD ITEMS.

DC-14

Loosening road tar, rust and grease is tough work! Deep Creep's fast-acting, petroleum-based formula outperforms all of the leading penetrating sprays.




SEA FOAM SPRAY

INDUSTRY LEADING TOP ENGINE CLEANER & LUBE

SS-14

Engine problems can be frustrating. Sea Foam Spray's ability to clean and maintain gasoline engines will help solve them! Safely clean air intake systems, throttle bodies, intake valves, and combustion chambers. Lubricate throttle plates and bushings. Fog and store carbureted and fuel-injected engines quickly and efficiently. As an added benefit, Sea Foam Spray is safe to use on coated parts and oxygen sensors. Experience a better running engine; try Sea Foam Spray!



EFFORTLESSLY CLEAN AND SHINE THE MOST STUBBORN OF SURFACES

Cleaning bugs, sap, and grime from auto and marine surfaces is no small task. Save time and energy using a superior product! Meticulously formulated to give a "good as new" look, Bugs-B-Gone is the best bug remover and cleaner you will find. Without harming the surface, Bugs-B-Gone neutralizes the acidity in bug remains, exhaust soot, and road grime in order to loosen and remove them in seconds.

BBG-1 - 473ml

BBG-4 - 3.79L











SilverStar® ULTRA

FARTHEST Downroad and Whiter Light*

- Whiter light*
- Most light downroad*
- More sideroad visibility*
- For ULTRA night vision
- Does not increase glare

SWITCH TODAY. SEE BETTER TONIGHT.

SilverStar® FARTHER Downroad

FARTHER Downroad and Whiter Light*

- More light downroad*
- Improved sideroad visiblity*
- Does not increase glare

XtraVision[®]

· Does not increase glare

More downroad*

FARTHER Downroad*



XTRAVISION H11 BEGUTTER DOWNEDAD MEXICUTE WHITE SYLVANIA SYLVANIA

zXe® Gold

Our Whitest Halogen Headlight

- HID Attitude All the look and feel of HID in a Xenon-powered halogen bulb
- Perfect balance of style and performance
- Cobalt blue nano coating technology delivers our whitest halogen*
- Unique golden cap



zXe®

HID Attitude // Xenon Fueled

- Perfect balance of style and performance
- Cobalt blue nano coating technology delivers our whitest halogen*
- · Mirror Top alloy coating







SYI VANIA I FD HFADI IGHTS

Direct LED replacements* for existing halogen bulbs. No filament to break. No glass. Just pure white light to enhance nightime driving experience.



2 YEAR* **WARRANTY**



ZEVO® I FD HFADI IGHTS

LED replacement bulbs* for halogen low beams and fog lights. 6000K cool white light. Advanced heat sink design for maximum performance and life.

3 to 5 YEAR* **WARRANTY**



















9140/9145

H8/H16

5202/2504

880/881





SYLVANIA LED

- Direct Replacement for incandescent bulbs
- · Outlasts incandescent bulbs
- · Low power consumption



ZEVO[®] LED SUPER BRIGHT

- LIFETIME WARRANTY**
- Direct Replacement
- for incandescent bulbs Super bright
- Superior quality

*May not fit all vehicles. Heatsink requires 25mm of extra clearance. Your vehicle may require an adapter and/or anti-flicker harness. Warranty: See www.sylvaniaautomotive.com/autoinfo or packaging for details






Triple C Rubber and Plastics



PYRAMID WHEEL CHOCK 671-1047 6 x 10 x 8




CONTOUR WHEEL CHOCK WITH HOOK 671-1048 8 x 7 x 10"



WHEEL CHOCK WITH SAFETY HANDLE 671-1050 8 x 10 x 7.5"



HEAVY DUTY TRIPLE
HEADER MUD FLAP
671-4093
24 x 24 / 27 / 30"
Stock one mud flap, cuts
down to 2 other sizes



MUD FLAPS 671-4580 24 x 18" 671-4590 24 x 24"



CHEVRON MUD FLAPS 671-4583 24 x 30" 671-4585 24 x 36"

671-4588 24 x 24"

Fits truck bodies, tow trucks, HD trucks & trailers

PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!


Advertise Your Company!





MUD FLAPS 671-8156-01 9 x 16"

Fits large cars, Pickup trucks, SUVs, Jeeps, and Vans.



TRIPLE HEADER MUD FLAP 671-8093-01 24 x 24 / 27 / 30"

Your company name and logo!







SLIDE OUT SILICONE 311G 02238

- Features a quick-dry, clear protective film with no messy residue that doesn't attract dirt
- Lubricates, waterproofs and protects against rust and corrosion
- Safe to use on rubber, vinyl and plastic





TRAILER HITCH LUBE 283G 02261

- Resists water and displaces moisture
- Reduces the need for frequent reapplication
- Safe on multiple surfaces including metal, plastic and rubber





WINDOW & TRACK DRY LUBE 283G 02245

- Provides long-lasting corrosion protection against the elements, helping to prevent future repairs
- Safe to use on most materials, including vinyl and plastic (except clear polycarbonate and polystyrene)
- Helps keep your RV windows and doors sliding smoothly and silently





RUBBER SEAL CONDITIONER 311G 02290

- Contains UV inhibitors which help prevent cracking and fading
- Long lasting water resistant formula helps reduce friction and wear





BUG & TAR REMOVER 425G 02270

- · Removes black streaks
- Safe on most surfaces





INDUSTRIAL STRENGTH DEGREASER 425G 02220

- Water-based formula that makes equipment run smoother, last longer and look like new
- Quickly removes grease, oil, dirt and grime
- Deep penetrating action and a powerful stream that sprays up to five feet







WATER RESISTANT SILICONE LUBRICANT 01179

- Lubricates, waterproofs and protects
- Quick-drying with no messy residue
- Effective temperature range from -73° C to 260° C.





HIGH PERFORMANCE WHITE LITHIUM GREASE 01180

Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion.

- Won't freeze, melt or run off
- Effective in temperatures from -18° C to 149° C (0° F to 300° F)





RUST RELEASE PENETRANT SPRAY 01178

- Fast acting
- Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together





MACHINE AND ENGINE DEGREASER FOAMING SPRAY 01206

- Deep penetrating foaming action
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new
- Powerful stream sprays up to 5 feet





DIRT & DUST RESISTANT DRY LUBE PTFE SPRAY 01209

Quick drying PTFE formula provides superior lubrication and long-lasting corrosion protection with no oily residue.

- · Resists dirt, dust and oil
- Ideal for releasing molded parts





SPRAY & STAY GEL LUBRICANT 02221

- Prevents rust for up to 1 year
- Thick gel lubricant
- Stays where you spray it
- 12x longer lasting lubrication
- · No drip, No mess
- · Ideal for vertical surfaces
- 50-state VOC compliant





THE SAFER WAY TO POWER CLEAN:

NEW INDUSTRIAL-STRENGTH CLEANER & DEGREASER

All-new water-based, non-aerosol formula proven to be more powerful, safer, and easier to use than other degreasers.

- Powerful bio-solvent action with no messy diluting
- Won't harm sensitive surfaces like aluminum, copper and glass

01231 - 709ml, Refillable

01233 - 946ml

01235 - 3.78L









MULTI-PURPOSE DRIP

3-IN-ONE®, with its special drip spout, is perfect for applications that require precise control for lubrication and rust prevention. 01135 88.7ml 01138 236ml





MOTOR OIL DRIP

01145

- Engineered for 1/4 HP motors or larger
- Special blend of high-grade oils that's equivalent to SAE 20
- Oil formulation is ideal for lubricating the moving parts of electrical motors



THE NEW MARKSMAN TWIST SPOUT

01216

- Marksman Twist Spout
- 15cm spout extension for hard to reach places
- Ergonomically shaped for ease of use and balance





GARAGE DOOR LUBE 02252 SILICONE LUBRICANT 01141 HIGH PERFORMANCE PENETRANT 01140 WHITE LITHIUM GREASE 01142

PRODUCT BENEFITS AND FEATURES:

3in1 Garage Door Lube - 311g

High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick drying.

3in1 Silicone Spray - 311q

- Ideal for metal-to-metal applications, preventing rust and corrosion, sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, high performance lubrication
- Quick drying, no mess formula

3in1 Penetrant Spray - 311q

- Fast acting formula, loosens stuck parts, frees rusted nuts and bolts
- Ideal for use on nuts, bolts, threads, links, chains and rusted things that are stuck and won't move

3in1 White Lithium Grease Spray - 290q

- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, safe for temperature ranges between - 73 ° C to 260 ° C, non drip formula, water and heat resistant
- Prevents rust and corrosion; long lasting, heavy duty lubricant



WD-40® MULTI-USE PRODUCT

WD-40[®] Multi -Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, dissolves adhesives and lubricates just about anything.





WD-40® Multi -Use Product - Problem Solved. Job Done Right™



01161 - 85g 01218 - 155g 01111 - 311g 01432 - 325g Smart Straw

01110 - 3.785L

01219 - 591ml Trigger Pro Non Aerosol

01204 - 18.9 Litre Pail

01100 - Spray Applicator (empty)

01627 - 408g EZ-Reach™ 01122 - 342q Bonus Can

01118 - 205L Drum





SPOT SHOT® INSTANT CARPET STAIN **REMOVER**

- Removes even tough OLD stains!
- Removes tough carpet stains without scrubbing!
- Works great on Red Wine, Blood, Grape Juice, Cola, Coffee and many more!

00927 - 496q

00932 - 650ml Regular









2000 FLUSHES AUTOMATIC TOILET BOWL **CLEANER**

- 2000 Flushes® is the FIRST long-lasting anti-bacterial automatic toilet bowl cleaner
- Improved, concentrated tablet delivers continuous cleaning action to sanitize, clean and deodorize

90102 - 100g Blue Plus Detergent

90616 - 35q Chlorine

90801 - 100g Blue Plus Bleach









Premium Performance • Safer For Users • Green Certified • Cost Effective

WORX* BIODEGRADABLE POWDER HAND CLEANER AND DISPENSERS	CODE	UNIT \ CASE
Biodegradable Hand Cleaner 1.85 oz (52.5 g)	11-1224	24 \ Case
Biodegradable Hand Cleaner 1 lb (454 g)	11-1104	4 \ Case
Biodegradable Hand Cleaner 3 lb (1362 g)	11-1300	4 \ Case
Biodegradable Hand Cleaner 4.5 lb (2040 g)	11-1450	4 \ Case
Biodegradable Hand Cleaner 6.5 oz (184 g)	11-1650-12	12 \ Case
Biodegradable Hand Cleaner - Shop Dispenser (Use with 11-1300 \ 11-1450)	11-9995	1\Unit
Biodegradable Hand Cleaner - Dispenser	11-9999	1\Unit
Biodegradable Hand Cleaner Promo-Pak (Incl. One 3lb Bottle plus Dispenser)	10-PK80	1 \ Unit
Biodegradable Hand Cleaner - 1 lb Dispenser Kits	11-9965	4 \ Case
WORX® WATERLESS HAND CLEANERS AND DISPENSERS	CODE	UNIT \ CASE
Waterless-Bit Hand Cleaner 3.38 oz (100 ml)	26-1024	24 \ Case
Waterless-Bit Hand Cleaner 16 oz (473 ml)	26-0616	6 \ Case
Waterless-Bit Hand Cleaner 32 oz (945 ml)	26-0432	4 \ Case
Waterless-Bit Hand Cleaner gal (3.781)	26-0401	4 \ Case
Waterless-Bit Hand Cleaner - Dispenser Waterless (gal)	26-9999	1\Unit
WORX® POWER CLEAN WATERLESS SOAP AND DISPENSERS	CODE	UNIT \ CASE
Power Clean Waterless Hand Soap 100 ml (24 x 3.38 oz)	42-1024	24 \ Case
Power Clean Waterless Hand Soap 13 oz (384 ml)	42-0613	6 \ Case
Power Clean Waterless Hand Soap 32 oz (945 ml)	42-0432	4 \ Case
Power Clean Waterless Hand Soap Gallon (3.78 l/gal)	42-0401	4 Gal
WORX® POWER CLEAN LIQUID HAND SOAP AND DISPENSERS	CODE	UNIT \ CASE
Liquid Hand Soap 3.38 oz (100 ml)	47-1024	24 \ Case
Liquid Hand Soap 13 oz (384 ml)	47-0613	6 \ Case
Liquid Hand Soap 32 oz (945 ml)	47-0432	4 \ Case
Liquid Hand Soap gal (3.78 l/gal)	47-0401	4 \ Case
Automatic Wall Mount Liquid Dispenser (600 ml)	47-9999	1 Each
WORX* POWER CLEAN FOAM HAND SOAP AND DISPENSERS	CODE	UNIT \ CASE
Foam Hand Soap 13 oz (384 ml)	48-0613	6 \ Case
Foam Hand Soap 32 oz (945 ml)	48-0432	4 \ Case
Foam Hand Soap gal (3.78 l/gal)	48-0401	4 \ Case
Automatic Wall Mount Foam Dispenser (600 ml)	48-9999	1 Each
WORX* POWER CLEAN LIQUID HAND SANITIZER	CODE	UNIT \ CASE
Liquid Hand Sanitizer 13 oz (384 ml)	49-0613	6 \ Case
ATTAX SURFACE CLEANERS	CODE	UNIT \ CASE
Heavy-Duty Surface Cleaner gal (3.78 I)	18-0401	4 \ Case
ATTAX DEGREASERS	CODE	UNIT \ CASE
Heavy-Duty Spray Degreaser 16 oz (450 g)	19-1216	12\ Case

'WORX"...No Other Brand Offers More!'

www.worx.ca

Copyright (D2017 WORX Environmental Products Inc. * All rights reserved